



Measurement and control computer for control of CO2/pH

Suitable for:







- Promotes plant growth and leads to lively fish: measurement and control computer with touchpad for the high-precision calculation and control of the best pH value in aquariums
- Connect sensors (pH sensor not included), set desired values in menu, connect with solenoid valve (not included)
- Digital measurement and control technology: graphic display, direct user interface, separate sensors for pH value and temperature
- Compares desired and actual pH value and controls the CO2 supply with solenoid valve (not included)
- Package contents: CO2 controller with touch display; incl. wall mount, power supply unit, temperature sensor with 2 suction cups and connection cable for the solenoid valve, cuvette holders for calibration liquids



You may also be interested in

You can find a complete overview here: https://www.jbl.de/qr/63187





JBL PROFLORA u501
Plant fertiliser system complete



JBL PROFLORA u502 Plant fertiliser system with night switch-off



JBL PROFLORA m501 CO2 plant fertiliser system complete kit



JBL PROFLORA m502 CO2 plant fertiliser system with night switch-off



Date: 31.12.2023

Produced by:









JBL Buffer Solution pH 4.0

Calibration solution with pH 4.0 for pH electrodes



JBL Buffer Solution pH 7.0

Calibration solution with pH 7.0 for pH electrodes



JBL DestDistilled water to clean pH
electrodes



JBL Storage SolutionCleaning and storage solution for pH electrodes



JBL PROFLORA pH-Sensor+Cal

pH electrode with BNC connection



JBL PROFLORA T3

Special hose for CO2 systems in aquariums



JBL PROFLORA Cal Complete kit for calibration











JBL slotted suction cup, 2mm Holder for heating cables in aquariums and terrariums



JBL adapter UK for all flat-pin plugs



JBL pH Control temperature sensor



JBL pH Control Touch connection cable



Country: Estonia

Language: English







Product information

Healthy fish thanks to an ideal pH value The acidity defines the pH value of the water. It needs to be constantly checked and adjusted as necessary to maintain the health of the fish and plants. The correct pH value depends on the fish stock of the aquarium. The wrong pH value can cause stress and diseases.

Technical information Incl. temperature sensor,

Modern graphic display with touchpad, sensor check during each calibration, error diagnosis after failed calibration, permanent display: pH actual/set value, sensor voltage, temperature, calibration reminder in days/hours, valve status, precision of measurement, set point adjustment: freely selectable or automatic calculation by means of auto pH, automatic temperature compensation during measuring and calibration, hysteresis freely selectable (upper and lower deviation from switching point), password key lock, alarm function pH (alarm range), alarm function temperature (range and set point alarm), selectable valve status, language selection: D/EN/F/NL/I/DK/E/P, reset function, universal power unit suitable for all common mains voltages worldwide.

Why a pH control?

If you want to automatise the CO2 supply, you can connect a pH computer (JBL PROFLORA pH-Control Touch) instead of a timer for the night shut-off. You'll need to enter the carbonate hardness (KH) of your aquarium water once and then the computer will calculate the appropriate pH value, which is adjusted by adding CO2. Then the computer steers the solenoid valve and adds as much CO2 as necessary until the calculated or desired pH value is reached. The solenoid valve is then closed and opened again so that the pH value remains stable. The pH measurement of the water is done by a pH electrode, which is NOT included in the set and needs to be purchased separately. This ensures that you do not receive an old electrode in the set, but always a brand-new one!

Further information	
FAQ	✓
Blog	~
Press	~
Laboratory/calculator	×
Worth reading	~
Spare parts	~
Video	~
GarantiePlus	×
Instructions	~
QR code	



31.12.2023 Date: Produced by:





Food type	-
Sub product type	-
Dosing	-



Date: 31.12.2023 Produced by: