



# JBL ProFlow t500

Submersible pump 200-500 l/h for water circulation

Suitable for:




- Clean and healthy water: submersible pump with 200 – 500 l/h output for the circulation of water in aquariums and aqua-terrariums. Use for bio filters, indoor fountains or other fountains
- Easy to install: connect hose or pipe with outlet 12/16 to the pump (end piece freely selectable), use in aquarium/aqua-terrarium, connect mains plug
- Only 4 cm water level required: suitable for all bio filters, use as indoor fountain or other fountains, adjustable pump capacity, stainless steel shaft, max. pumping head 0.8 m
- Tested to TÜV, low power consumption of 5 W, completely submersible (IPX8), sturdy mounting due to 3 suction cups
- Package contents: submersible pump for water pumping, dimensions (L/H/W): 36 x 58 mm, incl. 3 suction cups




# JBL ProFlow t500


## Spare parts



JBL PF t300/CP i30  
impeller



JBL PF t300/500 suction  
cups



JBL PF "t" front cover



JBL adapter UK for all  
flat-pin plugs



# JBL ProFlow t500



## Product information

### Clean and healthy water

Plant and food remains and metabolic substances lead to a deterioration of the quality of the water in the aquarium. Good water quality is necessary for the promotion of health in fish and plants. Water pumps ensure permanent circulation and contribute to the maintenance of clean and healthy water.

### Easy to install


Depending on the situation connect hose or pipe with outlet 16/22 and the desired endpiece to the pump and insert into the aquarium/aqua-terrarium. Connect the power plug.

### Versatile use

Thanks to its small size the JBL submersible pump fits in every bio filter and thus can be used as feed pump in clarified water filters. The low minimum water level of 4 cm also makes it an ideal pump in indoor fountains and fountains in aqua-terrariums.

### Safe and economical

The submersible pump is tested to TÜV and completely submersible (IPX8). It achieves high output at a low consumption of 5 W. Three suction cups ensure sturdy mounting.

Further information	
FAQ	✓
Blog	✓
Press	✓
Laboratory/calculator	✗
Worth reading	✓
Spare parts	✓
Video	✓
GarantiePlus	✓
Instructions	✓
QR code	





# JBL ProFlow t500



## Product details

Article data	
Product name	JBL ProFlow t500
Art. No.	6058100
EAN number	4014162605818
EAN as barcode	
Performance	500 l/h
Watt	5 W
Expiry months	-
RRP incl. VAT	31,04 €
Base price	-
Nominal filling quantity	-
Base quantity	1
Gross weight	244 g
Net weight	189 g
Weight change	1000

Disposal	
Product name	JBL ProFlow t500
Art. No.	6058100
Green dot	✓
Group electronic waste	Small appliances that can be used in private households
Disposal weight	189 g
Battery type	-
Battery return	-
Battery rechargeable	-
Disposal weight battery	-
Non-returnable glass	-
PPK	35 g
Plastic small	-
Plastic large	-
Disposal weight metal	0 g

Features	
Product name	JBL ProFlow t500
Art. No.	6058100
Animal species	Arowana, Axolotl, Barbels, Bettas, Bichirs/reedfish, Blowfish, Catfish, Cichlids (South America), Corals, Crayfish, Danions, Discus, Dwarf shrimps, Flowerhorn, Gobies, Goldfish, Gouramis, Guppy, Juvenile fish, Killifish, Livebearers, Loaches, Mussels, Newts, Panchaxes, Rainbowfish, Snails, Spiny eels, Terrapins, Tetra, Tropical terrapins, Veiltails, freshwater butterflyfish, turtle





<b>Features</b>	
Animal size	For all animal sizes
Animal age group	All aquarium fish
Volume of habitat	For all aquariums
Material	plastic (ABS ) / metal (copper)
Food type	-
Colour	black
Dosage	-
Transport conditions	-



# JBL ProFlow t500

Electronic label / illuminant	
Product name	JBL ProFlow t500
Art. No.	6058100
Ambient temperature	-
Start time	-
Mercury	-
Tube length	-
Service life	-
Lumen	-
CRI value	-
Dimmable	-
Switching cycles	-
PAR value	-
Energy efficiency class	-
UV-A	-
UV-B	-
UV-C	-
Colour temperature	-
Base designation	-

Technical data	
Product name	JBL ProFlow t500
Art. No.	6058100
Range in litres	-
Range from - to	-
Range in days	-
Range tank length	-
Output in watts	5 W
Output per hour	200-500
Output per day	-
Height	55 mm
Length	57 mm
Width	35 mm
Diameter	-
Voltage	-
For	-
T8 26mm (watt)	-
T5 16mm (watt)	-
Size	-
Content for	-
Filter container volume	-
Volume filter media	-
Hose connections pressure/out	-
Hose connections suction/in	-
Delivery head	-





# JBL ProFlow t500

Food type	-
Sub product type	-
Dosing	-





**Additional information for the specialist trade sector**

Article data	
Product name	JBL ProFlow t500
Art. No.	6058100
VAT	19%
Sales unit (SU)	1
Volume packaging	0.76l
Dimensions (l/w/h)	60 mm/80 mm/160 mm
Layer	288
Pallet	1728
Category of products	3
Customs tariff	84137021
Country of origin	IT
Type of packaging	Faltschachtel/Karton

PU 1 data	
Product name	JBL ProFlow t500
Art. No.	6058100
PU 1 material	cardboard gr
PU 1 weight	470 g
PU 1 length	290 mm
PU 1 width/depth	260 mm
PU 1 height	290 mm

PU 2 data	
Product name	JBL ProFlow t500
Art. No.	6058100
PU 2 material	-
PU 2 weight	-
PU 2 length	-
PU 2 width/depth	-
PU 2 height	-

Trade data	
Product name	JBL ProFlow t500
Art. No.	6058100
Till receipt text	ProFlow t500
Shelf placement	-

