



# JBL PROAQUATEST LAB

Test case with 13 water tests for freshwater analysis

Suitable for:



- Monitors water values in aquariums simply and reliably. Determines pH (3 ranges), carbonate hardness, general hardness, ammonium/ammonia, nitrite, nitrate, phosphate, iron, copper, silicate, oxygen, and, with the help of a table, the CO<sub>2</sub> calculation
- Add the reagents to the water samples, compare on the colour chart, read off the values and check the analysis sheet to see which actions are recommended, if any
- Comparator system takes the inherent water colouring into account. CO<sub>2</sub>-content is determined by pH value and KH value using the table
- Contains a childproof reagent bottle in a waterproof plastic case. Refill reagents are separately available
- Package contents: 1 test case, incl. 13 tests, 12 glass vials, 2 syringes, 3 measuring spoons, thermometer, comparator block, 2 plastic cuvettes, colour charts, CO<sub>2</sub> table, pen, report sheets, operating instructions

You may also be interested in

You can find a complete overview here: <https://www.jbl.de/qr/24084>



**JBL PROSCAN**  
Water test with analysis via  
smartphone



**JBL PROAQUATEST  
EASY 7in1**  
Test strips for quick aquarium  
water testing





# JBL PROAQUATEST LAB

## Spare parts



JBL component set for water tests



JBL Testlab empty + inserts



JBL PROAQUATEST range colour charts



# JBL PROAQUATEST LAB

## Product information

Healthy aquariums with conditions close to nature

The right water values are dependent on the fish stock and the plants in the aquarium. Even if the water looks clear it can be contaminated. Bad values can cause diseases or algae in the aquarium. To maintain a healthy aquarium with conditions close to nature it is important to check and adapt the water values regularly. With JBL water tests you can determine all relevant water values quickly, easily and very precisely.

The following tests are included in the test case:

pH test: water acidity from 3.0 to 10

pH test: water acidity from 6.0 to 7.6

pH test: water acidity from 7.4 to 9.0

O<sub>2</sub> test: determination of the oxygen content

GH test: determination of the general hardness

KH test: pH stability of the water (carbonate hardness)

PO<sub>4</sub> test: determination of the phosphate content (reason for algae growth and plant nutrient)

Test NH<sub>4</sub> / NH<sub>3</sub>: identifies non-toxic ammonium, uses table to determine any toxic ammonia

NO<sub>2</sub> test: determination of nitrogen compound nitrite, which is toxic for the fish

NO<sub>3</sub> test: determination of the nitrate content (reason for algae growth and plant nutrient)

Fe test: determination of the iron content to monitor fertilisation

Cu test: determination of heavy metal deadly for invertebrates. Also important for adjusting the dose of therapeutic medications

SiO<sub>2</sub> test: determination of the silicates (silicic acid), which cause diatoms

To determine the CO<sub>2</sub> content, you just need to measure the pH and KH values. These two values will give you the CO<sub>2</sub> content in the water, which then can be referenced from the enclosed table.

The following water tests are available as supplements:

K test: determination of the plant nutrient potassium

Mg test Freshwater: determination of the plant nutrient magnesium

CO<sub>2</sub> Direct test: determination of the current carbon dioxide content for thriving plant growth

Go to the JBL website > Themeworld Aquarium > the chapter "Understanding water as the elixir of life"  
 >Water values

Further information	
FAQ	✓
Blog	✓
Press	✓
Laboratory/calculator	✗
Worth reading	✓
Spare parts	✓
Video	✓
GarantiePlus	✗
Instructions	✓
QR code	





# JBL PROAQUATEST LAB



## Product details

Article data	
Product name	JBL PROAQUATEST LAB
Art. No.	2408417
EAN number	4014162002716
EAN as barcode	
Content	14 tests
-	-
Expiry months	24
RRP incl. VAT	137,68 €
Base price	-
Nominal filling quantity	-
Base quantity	1
Gross weight	1562 g
Net weight	1270 g
Weight change	-

Disposal	
Product name	JBL PROAQUATEST LAB
Art. No.	2408417
Green dot	✓
Group electronic waste	-
Disposal weight	-
Battery type	-
Battery return	-
Battery rechargeable	-
Disposal weight battery	-
Non-returnable glass	28 g
PPK	-
Plastic small	90 g
Plastic large	-
Disposal weight metal	0 g

Features	
Product name	JBL PROAQUATEST LAB
Art. No.	2408417





Features	
Animal species	Armored catfish, Arowana, Axolotl, Barbels, Bettas, Bichirs/ reedfish, Blowfish, Catfish, Cichlids (South America), Clawed frogs, Clawed shrimps, Crayfish, Crustaceans, Danions, Discus, Dwarf crayfish, Dwarf shrimps, Flowerhorn, Gill maggots, Goldfish, Gouramis, Guppy, Juvenile fish, Killifish, Livebearers, Loaches, Mussels, Newts, Panchaxes, Rainbowfish, Snails, Spiny eels, Terrapins, Tetra, Tropical terrapins, Veiltails, blood parrot cichlids, freshwater butterflyfish, turtle
Animal size	For all animal sizes
Animal age group	All aquarium fish
Volume of habitat	-
Material	Reagent(s) in plastic bottle(s) and/ or glass bottle(s) + plastic and/or glass accessories. REFILL: reagent (s) without accessories.
Food type	-
Colour	white / transparent / black
Dosage	See instructions
Transport conditions	-



# JBL PROAQUATEST LAB

Electronic label / illuminant	
Product name	JBL PROAQUATEST LAB
Art. No.	2408417
Ambient temperature	-
Start time	-
Mercury	-
Tube length	-
Service life	-
Lumen	-
CRI value	-
Dimmable	-
Switching cycles	-
PAR value	-
Energy efficiency class	-
UV-A	-
UV-B	-
UV-C	-
Colour temperature	-
Base designation	-

Technical data	
Product name	JBL PROAQUATEST LAB
Art. No.	2408417
Range in litres	-
Range from - to	-
Range in days	-
Range tank length	-
Output in watts	-
Output per hour	-
Output per day	-
Height	318 mm
Length	382 mm
Width	85 mm
Diameter	-
Voltage	-
For	-
T8 26mm (watt)	-
T5 16mm (watt)	-
Size	-
Content for	-
Filter container volume	-
Volume filter media	-
Hose connections pressure/out	-
Hose connections suction/in	-
Delivery head	-





# JBL PROAQUATEST LAB

Food type	-
Sub product type	-
Dosing	See instructions





# JBL PROAQUATEST LAB

## Safety information

JBL ProAquaTest Lab - safety information in accordance with GHS	
Signal word	Danger
Hazard symbol	
Risk phrase	<p>EUH031: Contact with acids liberates toxic gas.                      EUH208: Contains <math>\text{H}_2\text{O}_2</math>. May produce an allergic reaction.                      H225: Highly flammable liquid and vapour.                      H302: Harmful if swallowed.                      H314: Causes severe skin burns and eye damage.                      H317: May cause an allergic skin reaction.                      H318: Causes serious eye damage.                      H334: May cause allergy or asthma symptoms or breathing difficulties if inhaled.                      H335: May cause respiratory irritation.                      H341: Suspected of causing genetic defects.                      H373: May cause damage to organs through prolonged or repeated exposure.                      H400: Very toxic to aquatic life.                      H411: Toxic to aquatic life with long lasting effects.</p>
safety note	<p>P101: If medical advice is needed, have product container or label at hand.                      P102: Keep out of reach of children.                      P103: Read carefully and follow all instructions.                      P303+P361+P353: IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water [or shower].                      P305+P351+P338: IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.                      P501a: Dispose of contents/container in accordance with local regulations.</p>
Hazard-determining component	<p>121-57-3: sulphanilic acid                      1310-73-2: sodium hydroxide                      137-09-7/1: Amidol                      137-09-7/2: Amidol                      541-69-5: m-phenylenediamine dihydrochloride                      5421-46-5: ammonium mercaptoacetate                      64-19-7: Acetic acid                      67-63-0: propan-2-ol                      7647-01-0/1: hydrogen chloride                      7664-93-9: sulphuric acid                      7681-52-9/1: sodium hypochlorite, solution                      7773-01-5/1: manganese dichloride</p>

## JBL PROAQUATEST pH 3.10-10.0

JBL pH 3-10 - safety information in accordance with GHS	
Signal word	Warning
Hazard symbol	
Risk phrase	<p>H226: Flammable liquid and vapour.                      H319: Causes serious eye irritation.</p>











JBL pH 3-10 - safety information in accordance with GHS	
safety note	<p>P101: If medical advice is needed, have product container or label at hand.                      P102: Keep out of reach of children.                      P210: Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.                      P303+P361+P353: IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water [or shower].                      P305+P351+P338: IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.                      P501a: Dispose of contents/container in accordance with local regulations.</p>

## JBL PROAQUATEST pH 6.0-7.6

JBL pH 6.0-7.6 - safety information in accordance with GHS	
Signal word	Warning
Hazard symbol	 
Risk phrase	<p>H226: Flammable liquid and vapour.                      H319: Causes serious eye irritation.</p>
safety note	<p>P101: If medical advice is needed, have product container or label at hand.                      P102: Keep out of reach of children.                      P303+P361+P353: IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water [or shower].                      P305+P351+P338: IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.                      P501a: Dispose of contents/container in accordance with local regulations.</p>

## JBL PROAQUATEST GH General hardness



JBL GH - safety information in accordance with GHS	
Signal word	Warning
Hazard symbol	 
Risk phrase	<p>H226: Flammable liquid and vapour.                      H315: Causes skin irritation.                      H319: Causes serious eye irritation.</p>
safety note	<p>P101: If medical advice is needed, have product container or label at hand.                      P102: Keep out of reach of children.                      P210e: Keep away from flames and hot surfaces. No smoking.                      P241: Use explosion-proof [electrical/ventilating/lighting] equipment.                      P303+P361+P353: IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water [or shower].                      P305+P351+P338: IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.                      P501a: Dispose of contents/container in accordance with local regulations.</p>

## JBL PROAQUATEST KH Carbonate hardness



JBL KH - safety information in accordance with GHS	
Signal word	Danger






JBL KH - safety information in accordance with GHS	
Hazard symbol	 
Risk phrase	H226: Flammable liquid and vapour. H314: Causes severe skin burns and eye damage. H318: Causes serious eye damage.
safety note	P101: If medical advice is needed, have product container or label at hand. P102: Keep out of reach of children. P303+P361+P353: IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water [or shower]. P305+P351+P338: IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. P501a: Dispose of contents/container in accordance with local regulations.

## JBL PROAQUATEST O2 Oxygen

JBL O2 1 - safety information in accordance with GHS	
Signal word	Danger
Hazard symbol	 
Risk phrase	EUH208: Contains \$. May produce an allergic reaction. H314: Causes severe skin burns and eye damage. H317: May cause an allergic skin reaction. H318: Causes serious eye damage. H334: May cause allergy or asthma symptoms or breathing difficulties if inhaled. H373: May cause damage to organs through prolonged or repeated exposure. H412: Harmful to aquatic life with long lasting effects.
safety note	P101: If medical advice is needed, have product container or label at hand. P102: Keep out of reach of children. P303+P361+P353: IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water [or shower]. P305+P351+P338: IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. P501a: Dispose of contents/container in accordance with local regulations.
Hazard-determining component	1310-73-2: sodium hydroxide 137-09-7/1: Amidol 137-09-7/2: Amidol 7664-93-9: sulphuric acid 7773-01-5/1: manganese dichloride

JBL O2 2 - safety information in accordance with GHS	
Signal word	Danger
Hazard symbol	
Risk phrase	H314: Causes severe skin burns and eye damage. H318: Causes serious eye damage.



JBL O2 2 - safety information in accordance with GHS	
safety note	P101: If medical advice is needed, have product container or label at hand. P102: Keep out of reach of children. P303+P361+P353: IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water [or shower]. P305+P351+P338: IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
Hazard-determining component	1310-73-2: sodium hydroxide

JBL O2 3 - safety information in accordance with GHS	
Signal word	Danger
Hazard symbol	
Risk phrase	H314: Causes severe skin burns and eye damage. H317: May cause an allergic skin reaction. H318: Causes serious eye damage. H334: May cause allergy or asthma symptoms or breathing difficulties if inhaled.
safety note	P101: If medical advice is needed, have product container or label at hand. P102: Keep out of reach of children. P303+P361+P353: IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water [or shower]. P305+P351+P338: IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. P501a: Dispose of contents/container in accordance with local regulations.
Hazard-determining component	137-09-7/2: Amidol 7664-93-9: sulphuric acid



## JBL PROAQUATEST Cu Copper

JBL Cu 1 - safety information in accordance with GHS	
Signal word	Warning
Hazard symbol	
Risk phrase	H226: Flammable liquid and vapour. H319: Causes serious eye irritation.
safety note	P101: If medical advice is needed, have product container or label at hand. P102: Keep out of reach of children. P303+P361+P353: IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water [or shower]. P305+P351+P338: IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. P501a: Dispose of contents/container in accordance with local regulations.


JBL Cu 2 - safety information in accordance with GHS	
Signal word	Warning






JBL Cu 2 - safety information in accordance with GHS	
Hazard symbol	 
Risk phrase	H226: Flammable liquid and vapour. H319: Causes serious eye irritation.
safety note	P101: If medical advice is needed, have product container or label at hand. P102: Keep out of reach of children. P303+P361+P353: IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water [or shower]. P305+P351+P338: IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. P501a: Dispose of contents/container in accordance with local regulations.

## JBL PROAQUATEST Fe Iron

JBL Fe - safety information in accordance with GHS	
Signal word	Warning
Hazard symbol	
Risk phrase	H302: Harmful if swallowed. H317: May cause an allergic skin reaction. H319: Causes serious eye irritation.
safety note	P101: If medical advice is needed, have product container or label at hand. P102: Keep out of reach of children. P303+P361+P353: IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water [or shower]. P305+P351+P338: IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. P501a: Dispose of contents/container in accordance with local regulations.
Hazard-determining component	5421-46-5: ammonium mercaptoacetate

## JBL PROAQUATEST SiO2 Silicate

JBL SiO2 1 - safety information in accordance with GHS	
Signal word	Danger
Hazard symbol	
Risk phrase	H314: Causes severe skin burns and eye damage. H318: Causes serious eye damage.
safety note	P101: If medical advice is needed, have product container or label at hand. P102: Keep out of reach of children. P303+P361+P353: IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water [or shower]. P305+P351+P338: IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. P501a: Dispose of contents/container in accordance with local regulations.
Hazard-determining component	7664-93-9: sulphuric acid





JBL SiO2 2 - safety information in accordance with GHS	
Signal word	Danger
Hazard symbol	
Risk phrase	H314: Causes severe skin burns and eye damage. H318: Causes serious eye damage.
safety note	P101: If medical advice is needed, have product container or label at hand. P102: Keep out of reach of children. P303+P361+P353: IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water [or shower]. P305+P351+P338: IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
Hazard-determining component	87-69-4: (+)-tartaric acid

## JBL PROAQUATEST NH4 Ammonium



JBL NH4 1 - safety information in accordance with GHS	
Signal word	Danger
Hazard symbol	
Risk phrase	EUH031: Contact with acids liberates toxic gas. H225: Highly flammable liquid and vapour. H314: Causes severe skin burns and eye damage. H336: May cause drowsiness or dizziness. H400: Very toxic to aquatic life. H411: Toxic to aquatic life with long lasting effects.
safety note	P101: If medical advice is needed, have product container or label at hand. P102: Keep out of reach of children. P303+P361+P353: IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water [or shower]. P305+P351+P338: IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. P501a: Dispose of contents/container in accordance with local regulations.
Hazard-determining component	1310-73-2: sodium hydroxide 67-63-0: propan-2-ol 7681-52-9/1: sodium hypochlorite, solution

JBL NH4 2 - safety information in accordance with GHS	
Signal word	Danger
Hazard symbol	
Risk phrase	EUH031: Contact with acids liberates toxic gas. H314: Causes severe skin burns and eye damage. H318: Causes serious eye damage. H400: Very toxic to aquatic life. H411: Toxic to aquatic life with long lasting effects.







JBL NH4 2 - safety information in accordance with GHS	
safety note	P101: If medical advice is needed, have product container or label at hand. P102: Keep out of reach of children. P303+P361+P353: IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water [or shower]. P305+P351+P338: IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. P501a: Dispose of contents/container in accordance with local regulations.
Hazard-determining component	1310-73-2: sodium hydroxide 7681-52-9/1: sodium hypochlorite, solution



JBL NH4 3 - safety information in accordance with GHS	
Signal word	Danger
Hazard symbol	 
Risk phrase	H225: Highly flammable liquid and vapour. H315: Causes skin irritation. H319: Causes serious eye irritation. H336: May cause drowsiness or dizziness.
safety note	P101: If medical advice is needed, have product container or label at hand. P102: Keep out of reach of children. P303+P361+P353: IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water [or shower]. P305+P351+P338: IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. P501a: Dispose of contents/container in accordance with local regulations.
Hazard-determining component	67-63-0: propan-2-ol

## JBL PROAQUATEST NO2 Nitrite





JBL NO2 1 - safety information in accordance with GHS	
Signal word	Danger
Hazard symbol	 
Risk phrase	H226: Flammable liquid and vapour. H314: Causes severe skin burns and eye damage. H318: Causes serious eye damage.
safety note	P101: If medical advice is needed, have product container or label at hand. P102: Keep out of reach of children. P303+P361+P353: IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water [or shower]. P305+P351+P338: IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. P501a: Dispose of contents/container in accordance with local regulations.
Hazard-determining component	64-19-7: Acetic acid








JBL NO2 2 - safety information in accordance with GHS	
Signal word	Warning
Hazard symbol	 
Risk phrase	H226: Flammable liquid and vapour. H319: Causes serious eye irritation.
safety note	P101: If medical advice is needed, have product container or label at hand. P102: Keep out of reach of children. P303+P361+P353: IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water [or shower]. P305+P351+P338: IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

## JBL PROAQUATEST NO3 Nitrate

JBL NO3 1 - safety information in accordance with GHS	
Signal word	Danger
Hazard symbol	   
Risk phrase	H314: Causes severe skin burns and eye damage. H317: May cause an allergic skin reaction. H318: Causes serious eye damage. H341: Suspected of causing genetic defects. H411: Toxic to aquatic life with long lasting effects.
safety note	P101: If medical advice is needed, have product container or label at hand. P102: Keep out of reach of children. P303+P361+P353: IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water [or shower]. P305+P351+P338: IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. P501a: Dispose of contents/container in accordance with local regulations.
Hazard-determining component	121-57-3: sulphanilic acid 541-69-5: m-phenylenediamine dihydrochloride 7647-01-0/1: hydrogen chloride

JBL NO3 2 - safety information in accordance with GHS	
Signal word	Danger
Hazard symbol	  
Risk phrase	H314: Causes severe skin burns and eye damage. H317: May cause an allergic skin reaction. H318: Causes serious eye damage. H341: Suspected of causing genetic defects. H412: Harmful to aquatic life with long lasting effects.





JBL NO3 2 - safety information in accordance with GHS	
safety note	P101: If medical advice is needed, have product container or label at hand. P102: Keep out of reach of children. P303+P361+P353: IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water [or shower]. P305+P351+P338: IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. P501a: Dispose of contents/container in accordance with local regulations.
Hazard-determining component	541-69-5: m-phenylenediamine dihydrochloride 7647-01-0/1: hydrogen chloride

## JBL PROAQUATEST PO4 Phosphate Sensitive


JBL PO4 Sensitive 1 - safety information in accordance with GHS	
Signal word	Danger
Hazard symbol	
Risk phrase	H302: Harmful if swallowed. H314: Causes severe skin burns and eye damage. H335: May cause respiratory irritation.
safety note	P101: If medical advice is needed, have product container or label at hand. P102: Keep out of reach of children. P303+P361+P353: IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water [or shower]. P305+P351+P338: IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. P501a: Dispose of contents/container in accordance with local regulations.
Hazard-determining component	7647-01-0/1: hydrogen chloride 7664-93-9: sulphuric acid

JBL PO4 Sensitive 2 - safety information in accordance with GHS	
Signal word	Danger
Hazard symbol	
Risk phrase	H302: Harmful if swallowed. H314: Causes severe skin burns and eye damage. H318: Causes serious eye damage. H335: May cause respiratory irritation.
safety note	P101: If medical advice is needed, have product container or label at hand. P102: Keep out of reach of children. P303+P361+P353: IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water [or shower]. P305+P351+P338: IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. P501a: Dispose of contents/container in accordance with local regulations.
Hazard-determining component	7647-01-0/1: hydrogen chloride







Further safety information	
Safety instructions	✓
QR code	





## Additional information for the specialist trade sector

Article data	
Product name	JBL PROAQUATEST LAB
Art. No.	2408417
VAT	24%
Sales unit (SU)	1
Volume packaging	10.3l
Dimensions (l/w/h)	85 mm/382 mm/318 mm
Layer	24
Pallet	72
Category of products	1
Customs tariff	38221100
Country of origin	DE
Type of packaging	case

PU 1 data	
Product name	JBL PROAQUATEST LAB
Art. No.	2408417
PU 1 material	cardboard gr
PU 1 weight	1700 g
PU 1 length	700 mm
PU 1 width/depth	410 mm
PU 1 height	370 mm

PU 2 data	
Product name	JBL PROAQUATEST LAB
Art. No.	2408417
PU 2 material	None
PU 2 weight	-
PU 2 length	-
PU 2 width/depth	-
PU 2 height	-

Trade data	
Product name	JBL PROAQUATEST LAB
Art. No.	2408417
Till receipt text	Testlab
Shelf placement	Test shelf, water treatment troubleshooting