



#### Aeration set with air pump for garden ponds

Suitable for:









- Protects the pond against oxygen deficiency: reliable aeration and oxygen supply through aeration set with floater and high-powered air pump with 200 l/h output
- Easy to install: set up the air pump in a dry place, connect pump and air stone with air hose, put air hose into the hose holder of the floater, connect the air pump to the power supply
- Protection against oxygen deficiency; variable positioning at any water depth thanks to floater with hose holder
- High-powered air pump: 200 l/h air flow rate, 230 V, 50 Hz, 3 W, large ball-shaped 40 mm air stone
- Package contents: aeration set, Pond Oxi-Set, incl. air pump, air hose, air stone, floater with hose holder



#### You may also be interested in

You can find a complete overview here: https://www.jbl.de/gr/28013





JBL PondCheck Quick test to determine the pH and KH values



JBL SediEx Pond Bacteria and active oxygen for the breakdown of sludge



JBL FilterStart Pond Bacteria starter for pond filters



JBL Testlab Koi Professional test case for koi and garden ponds



Date: 31.12.2023 Produced by:

Country: Hong Kong Language: English









JBL PondOxi diaphragm set



JBL Floater + AntiKink
Floater with anti-kink
protection for PondOxi-Set



JBL ProSilent Aeras Micro Ball L Air stone for fine air bubbles



JBL adapter UK for all flat-pin plugs









#### Product information

Oxygen supply for every season Plants and fish need oxygen to survive. During winter and with high water temperatures in summer oxygen deficiency can occur in the pond. JBL's aeration set Pond Oxi protects the pond against oxygen deficiency.

Even oxygen supply

The high-powered air pump of the Pond-Oxi aeration set ensures an even oxygen supply. The floater is equipped with an air hose holder, so that the air stone can be positioned at any height.

Position air pump in a dry place within a radius of 10 m to the pond. Connect pump to air stone using air hose. Put the air hose into the hose holder of the floater and use it to determine the best depth to position the air stone by pushing the hose back and forth. Connect air pump to the power supply. It may be necessary to attach it with a cord to prevent the floater from drifting away in the air flow generated.

Tip: Don't attach the stone lower than 30 cm below water surface in winter.

Further information	
FAQ	~
Blog	<b>~</b>
Press	<b>✓</b>
Laboratory/calculator	×
Worth reading	~
Spare parts	~
Video	~
GarantiePlus	~
Instructions	<b>✓</b>
QR code	









# Product details

Article data	
Product name	JBL PondOxi-Set
Art. No.	2801300
EAN number	4014162280138
EAN as barcode	
Performance	200 l/h
Watt	3 W
Expiry months	-
RRP incl. VAT	38,70 €
Base price	-
Nominal filling quantity	-
Base quantity	1
Gross weight	788 g
Net weight	574 g
Weight change	1000

Disposal	
Product name	JBL PondOxi-Set
Art. No.	2801300
Green dot	✓
Group electronic waste	Small appliances that can be used in private households
Disposal weight	360 g
Battery type	-
Battery return	-
Battery rechargeable	-
Disposal weight battery	-
Non-returnable glass	-
PPK	214 g
Plastic small	-
Plastic large	-
Disposal weight metal	0 g

Features	
Product name	JBL PondOxi-Set
Art. No.	2801300
Animal species	Goldfish, Juvenile fish, Koi, Mussels, Snails, Sturgeons, Veiltails
Animal size	For all animal sizes
Animal age group	All garden pond animals
Volume of habitat	For all ponds
Material	plastic (ABS ) / metal (copper)



31.12.2023 Date: Produced by:

Country: Hong Kong Language: English

# TECHNICAL PRODUCTS TECHNIK TECHNIQUE





Features	
Food type	-
Colour	black / white / green
Dosage	-
Transport conditions	-







Electronic label / illuminant	
Product name	JBL PondOxi-Set
Art. No.	2801300
Ambient temperature	-
Start time	-
Mercury	-
Tube length	-
Service life	-
Lumen	-
CRI value	-
Dimmable	-
Switching cycles	-
PAR value	-
Energy efficiency class	-
UV-A	-
UV-B	-
UV-C	-
Colour temperature	-
Base designation	-

Technical data	
Product name	JBL PondOxi-Set
Art. No.	2801300
Range in litres	-
Range from - to	-
Range in days	-
Range tank length	-
Output in watts	-
Output per hour	-
Output per day	-
Height	-
Length	-
Width	-
Diameter	-
Voltage	-
For	-
T8 26mm (watt)	-
T5 16mm (watt)	-
Size	-
Content for	-
Filter container volume	-
Volume filter media	-
Hose connections pressure/out	-
Hose connections suction/in	-
Delivery head	-







Food type	-
Sub product type	-
Dosing	-



Date: 31.12.2023 Produced by:







#### Additional information for the specialist trade sector

Article data	
Product name	JBL PondOxi-Set
Art. No.	2801300
VAT	19%
Sales unit (SU)	1
Volume packaging	4.51
Dimensions (I/w/h)	205 mm/300 mm/73 mm
Layer	36
Pallet	180
Category of products	3
Customs tariff	84148080
Country of origin	CN
Type of packaging	Faltschachtel/Karton

PU 1 data	
Product name	JBL PondOxi-Set
Art. No.	2801300
PU 1 material	cardboard gr
PU 1 weight	540 g
PU 1 lengh	640 mm
PU 1 width/depth	315 mm
PU 1 height	315 mm

PU 2 data	
Product name	JBL PondOxi-Set
Art. No.	2801300
PU 2 material	None
PU 2 weight	-
PU 2 lengh	-
PU 2 width/depth	-
PU 2 height	-

Trade data	
Product name	JBL PondOxi-Set
Art. No.	2801300
Till receipt text	PondOxi-Set
Shelf placement	-



31.12.2023 Date: Produced by: