



# JBL PROFLORA CO<sub>2</sub> CYLINDER 500 U

Disposable storage cylinder ready-filled with 500g CO<sub>2</sub>

Suitable for: 



- CO<sub>2</sub> storage cylinder for all CO<sub>2</sub> systems. Supplies aquarium plants with their main nutrient carbon dioxide (CO<sub>2</sub>) while preventing algae
- Easy to install: turn the pressure regulator with internal thread onto the external thread (M10x1) of the storage cylinders
- Including mounted rubber stand for good stability. Total height with mounted pressure reducer: 37 cm
- TÜV-tested, recyclable 500 g disposable CO<sub>2</sub> steel cylinder (thread M10x1). Because CO<sub>2</sub> liquefies under pressure CO<sub>2</sub> pressurised gas cylinders must be in an upright position when in operation
- Package contents: disposable cylinder, ready-filled with 500 g CO<sub>2</sub>, dimensions: 31 x 7.5 cm, thread M10x1



# JBL PROFLORA CO2 CYLINDER 500 U




## Product information

Disposable or reusable CO2 cylinder? There are 2 different cylinder types: disposable cylinders that are disposed of and recycled after emptying and reusable cylinders that can be refilled again and again. Many pet shops and gas companies can carry out the refilling. If you live in a region where refilling is a problem, the disposable cylinder can be an alternative. Should the refilling situation improve, you can always convert the disposable pressure reducer into a reusable pressure reducer in 2 minutes by unscrewing the adapter (JBL PROFLORA ADAPT U-M). Aquarium owners who live on islands (as an example) are sometimes not allowed to transport filled reusable cylinders by ferry or plane. Disposable cylinders are then sometimes allowed!

The size of the cylinder often depends on the cabinet in which the CO2 storage cylinder is to be placed: A 500 g disposable bottle is only 31 cm high (plus pressure reducer = 37 cm), a 500 g reusable bottle with stand is already 43 cm high and a 2000 g bottle 45.5 cm high. Basically, of course, a larger cylinder is an advantage, because it simply needs to be replaced or refilled less frequently.

TÜV inspection of the CO2 cylinders: All reusable CO2 cylinders must be inspected regularly, every 10 years, by the TÜV (at least in Germany). On the cylinder you will always find - though sometimes badly legibly - the date of the last TÜV inspection and sometimes the year of the next inspection.

Further information	
FAQ	✓
Blog	✓
Press	✗
Laboratory/calculator	✗
Worth reading	✓
Spare parts	✗
Video	✓
GarantiePlus	✗
Instructions	✓
QR code	





# JBL PROFLORA CO2 CYLINDER 500 U



## Product details

Article data	
Product name	JBL PROFLORA CO2 CYLINDER 500 U
Art. No.	6466200
EAN number	4014162646620
EAN as barcode	
Content	500 g
-	-
Expiry months	-
RRP incl. VAT	30,08 €
Base price	60.16 €
Nominal filling quantity	500 g
Base quantity	1 kg
Gross weight	1722 g
Net weight	1654 g
Weight change	-

Disposal	
Product name	JBL PROFLORA CO2 CYLINDER 500 U
Art. No.	6466200
Green dot	✓
Group electronic waste	-
Disposal weight	-
Battery type	-
Battery return	-
Battery rechargeable	-
Disposal weight battery	-
Non-returnable glass	-
PPK	68 g
Plastic small	-
Plastic large	-
Disposal weight metal	1164 g

Features	
Product name	JBL PROFLORA CO2 CYLINDER 500 U
Art. No.	6466200
Animal species	Arowana, Axolotl, Barbels, Bettas, Bichirs/reedfish, Blowfish, Catfish, Cichlids (South America), Crayfish, Danions, Discus, Dwarf shrimps, Flowerhorn, Gobies, Goldfish, Gouramis, Guppy, Juvenile fish, Killifish, Livebearers, Loaches, Panchaxes, Rainbowfish, Snails, Spiny eels, Tetra, Veiltails, freshwater butterflyfish





Features	
Animal size	For all animal sizes
Animal age group	All aquarium fish
Volume of habitat	-
Material	metal (steel)
Food type	-
Colour	grey
Dosage	-
Transport conditions	-



# JBL PROFLORA CO2 CYLINDER 500 U

Electronic label / illuminant	
Product name	JBL PROFLORA CO2 CYLINDER 500 U
Art. No.	6466200
Ambient temperature	-
Start time	-
Mercury	-
Tube length	-
Service life	-
Lumen	-
CRI value	-
Dimmable	-
Switching cycles	-
PAR value	-
Energy efficiency class	-
UV-A	-
UV-B	-
UV-C	-
Colour temperature	-
Base designation	-

Technical data	
Product name	JBL PROFLORA CO2 CYLINDER 500 U
Art. No.	6466200
Range in litres	-
Range from - to	-
Range in days	-
Range tank length	-
Output in watts	-
Output per hour	-
Output per day	-
Height	290 mm
Length	70 mm
Width	70 mm
Diameter	-
Voltage	-
For	-
T8 26mm (watt)	-
T5 16mm (watt)	-
Size	-
Content for	-
Filter container volume	-
Volume filter media	-
Hose connections pressure/out	-
Hose connections suction/in	-





Technical data	
Delivery head	-





# JBL PROFLORA CO2 CYLINDER 500 U


Food type	-
Sub product type	-
Dosing	-






# JBL PROFLORA CO2 CYLINDER 500 U

## Safety information

JBL PROFLORA CO2 CYLINDER 500 U - safety information in accordance with GHS	
Signal word	Warning
Hazard symbol	
Risk phrase	H280: Contains gas under pressure; may explode if heated.
safety note	P410+P403: Protect from sunlight. Store in a well-ventilated place.

Further safety information	
Safety instructions	✓
QR code	





## Additional information for the specialist trade sector

Article data	
Product name	JBL PROFLORA CO2 CYLINDER 500 U
Art. No.	6466200
VAT	19%
Sales unit (SU)	1
Volume packaging	1.83l
Dimensions (l/w/h)	77 mm/77 mm/309 mm
Layer	31
Pallet	372
Category of products	3
Customs tariff	73110091
Country of origin	IT
Type of packaging	Faltschachtel/Karton

PU 1 data	
Product name	JBL PROFLORA CO2 CYLINDER 500 U
Art. No.	6466200
PU 1 material	None
PU 1 weight	-
PU 1 length	-
PU 1 width/depth	-
PU 1 height	-

PU 2 data	
Product name	JBL PROFLORA CO2 CYLINDER 500 U
Art. No.	6466200
PU 2 material	None
PU 2 weight	-
PU 2 length	-
PU 2 width/depth	-
PU 2 height	-

Trade data	
Product name	JBL PROFLORA CO2 CYLINDER 500 U
Art. No.	6466200
Till receipt text	CO2 500 U
Shelf placement	-