

External filter for aquariums from 60 - 200 litres

Suitable for: < 🖈 🖌 🐇 🐋



- External filter for healthy aquarium water: closed water circuit for aquariums of 60 200 litres (60 100 cm)
- Fully equipped and ready to connect: built-in quick-start priming button, filter start without manual priming. Simple assembly
- Extremely smooth running at 700 l/h pump performance, patented pre-filter system: high/biological filter performance with a volume of 6.1 l, water stop, 360° rotatable hose connections, easily exchangeable filter media
- TÜV tested, safe and energy-efficient: lower power consumption than previous models consistant performance
- Package contents: external filter unit for aquariums, CristalProfi e701 greenline, incl. 12/16 hoses & pipes, intake strainer, elbow, suction cups, filter media (bio-filter balls and bio-filter foam), dimensions (L/H/W): 280 x 360 x 240 mm



You may also be interested in

JBL CRISTALPROFI i60 greenline Energy-efficient internal filter for aquariums



JBL CRISTALPROFI i80 greenline Energy-efficient internal filter for aquariums



JBL CRISTALPROFI i100 greenline Energy-efficient internal filter for aquariums





JBL CRISTALPROFI i200 greenline Energy-efficient internal filter for aquariums







JBL Elbow piece Anti-kink protection for water hoses



JBL CombiBloc CristalProfi e Pre-filter pads and filter foam for CristalProfi e



JBL OutSet wide Outlet pipe with wide jet pipe for external filters



JBL AntiKink Anti-kink protection for hoses



JBL CRISTALPROFI UNIBLOC e Bio-filter foam insert for CristalProfi e



JBL OutSet spray Water outlet set with 2-part spray bar



JBL Aquarium Tubing GREY Pre-cut grey hose for aquariums & ponds



JBL CRISTALPROFI CLEARMEC e Nitrite, nitrate, phosphate remover for CristalProfi e



JBL Aquarium Tubing GREEN Pre-cut green hose for aquariums & ponds



JBL Aquarium tubing GREY on reel Grey-transparent hose wound on a reel



JBL InSet Suction pipe complete set for external filters



JBL FixSet Suction pads and spacers for external filters









Accessorie



JBL CristalProfi Pulling Aid Impell. Bearing&Brush Pulling aid and cleaning brush for impeller bearings



JBL TopClean II Surface skimmer



JBL FilterBag wide Container bag for coarse filter material



JBL CRISTALPROFI COMBIBLOC II Set with filter sponges for filter CristalProfi e (02)



JBL CRISTALPROFI SYMECPAD e 6 filter fleece f. JBL CristalProfi e external filters



JBL Carbomec ultra Highly activated pelletized carbon



JBL CRISTALPROFI COMBIFILTER Basket II filter basket replace. kit f. CristalProfi ext. filter



JBL Symec Filter floss Filter wool to remove all types of cloudiness



JBL SILICONE SPRAY Care spray for technical aquarium/garden pond items



JBL Symec XL Coarse filter wool to remove all types of water cloudiness



JBL SilicatEx Rapid Prevents diatoms by removing silicate



JBL Symec VL Filter wool fleece to remove water cloudiness





Accessories



JBL Fine Filter Foam Fine foam for filters to combat all kinds of water cloudiness



JBL Cermec Ceramic filter tubes for aquarium filters



JBL ClearMec plus Nitrite, nitrate and phosphate remover



JBL Coarse Filter Foam Coarse foam for filters to combat all kinds of water cloudiness



JBL Carbomec activ High performance activated carbon for freshwater aquariums



JBL NitratEX Filter material for the rapid removal of nitrate (NO3)



JBL Sintomec Sintered bio-glass rings for breakdown of pollutants



JBL Symec micro Microfibre fleece against water cloudiness



JBL BioNitratEX Biological filter material for the removal of nitrates



JBL Micromec Sintered bio-glass balls for breaking down pollutants



JBL Tormec activ Active peat pellets for freshwater aquariums



JBL PhosEX ultra Filter material for the removal of phosphate







Accessories



JBL FilterBag fine Container bag for aquarium filter material



JBL Cleany Double-ended hose brush for hoses from 9-30 mm



JBL Aquarium tubing GREEN on reel Green-transparent hose wound on a plastic reel





JBL CristalProfi e701 greenline Spare parts



JBL CP e pump head handle




JBL CP e clip for casing



6348810

JBL adapter UK for all flat-pin plugs




JBL CP e4/7/9/15/1900/1/2 handle screws




JBL CP e impeller cover seal



JBL CP e impeller cover





JBL CP e4/7/9/15/1900/1,2 pump head screws



JBL CP e pump head greenline



JBL CP e start button + union nut



JBL CP e bottom panel for start button



JBL CP e union nut for hose connection



JBL CP e seal connection block





JBL CristalProfi e701 greenline Spare parts





JBL CP e casing clip



JBL CP e pump head cover



JBL CP e distributor plate



JBL CP e4/7/9/15/1900/1

stopcock set

JBL CP e pump head washer



JBL CP e spray bar kit



JBL CP e4/7/9/1500/1/2 rubber buffer



JBL CP e impeller kit Complete spare impeller kit for JBL CristalProfi e

JBL CP e filter canister



JBL CP e plug for spray bar



JBL CP e basket insert top



JBL CP e standard basket insert







JBL CP e hose connection block





Product information

Clean and healthy water

Plant and food remains and metabolic substances lead to a deterioration of the quality of the water in the aquarium. Good water quality is necessary for healthy fish and plants. This can be achieved with aquarium filters. The filters suck in the aquarium water and remove the pollution and waste materials with the filter material from the water Filters also offer an ideal habitat for bacteria which decompose harmful substances.

Easy to install

The external filter is completely equipped and ready to connect. The built-in quick-start device makes the filter easy to install without the need for manual priming. The filter media are included in the contents.

Easy to clean

Replacing the easy to reach pre-filter means that you only rarely need to clean the rest of the filter. The large filter volume provides a high biological filtering performance involving several filter layers. The bio-filter balls inside have different diameters. This promotes the self-cleaning effect.

Energy efficient and safe

With only 9 W power consumption the CristalProfi e701 offers substantial energy savings. The patented hose connection bloc with a safety valve prevents water leakage when disconnecting the filter. JBL CristalProfi is TÜV tested.

Further information	
FAQ	~
Blog	~
Press	~
Laboratory/calculator	×
Worth reading	~
Spare parts	~
Video	~
GarantiePlus	~
Instructions	~
QR code	



Product details

Article data	
Product name	JBL CristalProfi e701 greenline
Art. No.	6021011
EAN number	4014162023346
EAN as barcode	
Performance	700 l/h
Watt	9 W
Expiry months	-
RRP incl. VAT	121,47 €
Base price	-
Nominal filling quantity	-
Base quantity	1
Gross weight	5654 g
Net weight	4800 g
Weight change	1000

Disposal	
Product name	JBL CristalProfi e701 greenline
Art. No.	6021011
Green dot	✓
Group electronic waste	X Beleuchtungskörper
Disposal weight	1400 g
Battery type	-
Battery return	-
Battery rechargeable	-
Disposal weight battery	-
Non-returnable glass	-
РРК	854 g
Plastic small	-
Plastic large	-
Disposal weight metal	0 g

Features	
Product name	JBL CristalProfi e701 greenline
Art. No.	6021011
Animal species	Arowana, Axolotl, Barbels, Bettas, Bichirs/reedfish, Blowfish, Catfish, Cichlids (South America), Corals, Crayfish, Danions, Discus, Dwarf shrimps, Flowerhorn, Gobies, Goldfish, Gouramis, Guppy, Juvenile fish, Killifish, Livebearers, Loaches, Mussels, Newts, Panchaxes, Rainbowfish, Snails, Spiny eels, Terrapins, Tetra, Tropical terrapins, Yeiltails, freshwater butterflyfish, turtle

Country: Malta

Language: English



Features	
Animal size	For all animal sizes
Animal age group	All aquarium fish
Volume of habitat	60-200 L (60-100cm)
Material	plastic (material mix: ABS, SAN, POM) / metal (copper)
Food type	-
Colour	silver / black
Dosage	-
Transport conditions	-





Electronic label / illuminant	
Product name	JBL CristalProfi e701 greenline
Art. No.	6021011
Ambient temperature	-
Start time	-
Mercury	-
Tube length	-
Service life	-
Lumen	-
CRI value	-
Dimmable	-
Switching cycles	-
PAR value	-
Energy efficiency class	-
UV-A	-
UV-B	-
UV-C	-
Colour temperature	-
Base designation	-
Technical data	
Product name	JBL CristalProfi e701 greenline

Product nameJBL CristalProfi e701 greenlineArt. No.6021011Range in litres-Range from - to-Range from - to-Range in days-Qutput in watts9 WOutput per hour700Output per day-Height-Length-Vidth-Diameter-Yoltage-T5 16mm (watt)-Size-Filter container volume-Filter container volume-Hose connections pressure/out-Pleivery head-Delivery head-Pleivery head	lechnical data	
Range in litres-Range from - to-Range from - to-Range in days-Range tank length-Output in watts9 WOutput per hour700Output per day-Height-Length-Vidth-Diameter-Voltage-For-T5 16mm (watt)-Size-Content for-Filter container volume-Volume filter media-Hose connections pressure/out-Hose connections suction/in-	Product name	JBL CristalProfi e701 greenline
Range from - to-Range in days-Range tank length-Output in watts9 WOutput per hour700Output per day-Height-Length-Vidth-Diameter-Yoltage-For-T5 16mm (watt)-Size-Content for-Filter container volume-Volume filter media-Hose connections pressure/out-Hose connections suction/in-	Art. No.	6021011
Range in days-Range tank length-Output in watts9 WOutput per hour700Output per day-Height-Length-Width-Diameter-Voltage-For-T5 16mm (watt)-Size-Content for-Filter container volume-Volume filter media-Hose connections pressure/out-Hose connections suction/in-	Range in litres	-
Range tank length-Output in watts9 WOutput per hour700Output per day-Height-Length-Width-Diameter-Voltage-For-T5 16mm (watt)-Size-Content for-Filter container volume-Volume filter media-Hose connections pressure/out-Hose connections suction/in-	Range from - to	-
Output in watts9 WOutput per hour700Output per day-Height-Length-Width-Diameter-Voltage-For-T8 26mm (watt)-T5 16mm (watt)-Size-Content for-Filter container volume-Volume filter media-Hose connections pressure/out-Hose connections suction/in-	Range in days	-
Cup et al.Cut and the seconnections pressure/outOutput per hour700Output per day-Height-Length-Width-Diameter-Voltage-For-T8 26mm (watt)-T5 16mm (watt)-Size-Content for-Filter container volume-Volume filter media-Hose connections pressure/out-Hose connections suction/in-	Range tank length	-
Output per day-Height-Length-Width-Diameter-Voltage-For-T8 26mm (watt)-T5 16mm (watt)-Size-Content for-Filter container volume-Volume filter media-Hose connections pressure/out-Hose connections suction/in-	Output in watts	9 W
Height-Length-Width-Diameter-Voltage-For-T8 26mm (watt)-T5 16mm (watt)-Size-Content for-Filter container volume-Volume filter media-Hose connections pressure/out-Hose connections suction/in-	Output per hour	700
Length-Width-Diameter-Voltage-For-T8 26mm (watt)-T5 16mm (watt)-Size-Content for-Filter container volume-Volume filter media-Hose connections pressure/out-Hose connections suction/in-	Output per day	-
Width-Diameter-Diameter-Voltage-For-T8 26mm (watt)-T5 16mm (watt)-Size-Content for-Filter container volume-Volume filter media-Hose connections pressure/out-Hose connections suction/in-	Height	-
Diameter-Diameter-Voltage-For-T8 26mm (watt)-T5 16mm (watt)-Size-Content for-Filter container volume-Volume filter media-Hose connections pressure/out-Hose connections suction/in-	Length	-
Voltage-For-For-T8 26mm (watt)-T5 16mm (watt)-Size-Content for-Filter container volume-Volume filter media-Hose connections pressure/out-Hose connections suction/in-	Width	-
For-For-T8 26mm (watt)-T5 16mm (watt)-Size-Content for-Filter container volume-Volume filter media-Hose connections pressure/out-Hose connections suction/in-	Diameter	-
T8 26mm (watt) - T5 16mm (watt) - Size - Content for - Filter container volume - Volume filter media - Hose connections pressure/out - Hose connections suction/in -	Voltage	-
T5 16mm (watt) - Size - Content for - Filter container volume - Volume filter media - Hose connections pressure/out - Hose connections suction/in -	For	-
Size - Content for - Filter container volume - Volume filter media - Hose connections pressure/out - Hose connections suction/in -	T8 26mm (watt)	-
Content for - Filter container volume - Volume filter media - Hose connections pressure/out - Hose connections suction/in -	T5 16mm (watt)	-
Filter container volume - Volume filter media - Hose connections pressure/out - Hose connections suction/in -	Size	-
Volume filter media - Hose connections pressure/out - Hose connections suction/in -	Content for	-
Hose connections pressure/out - Hose connections suction/in -	Filter container volume	-
Hose connections suction/in -	Volume filter media	-
	Hose connections pressure/out	-
Delivery head -	Hose connections suction/in	-
	Delivery head	-



Food type	-
Sub product type	-
Dosing	-





Additional information for the specialist trade sector

Article data	
Product name	JBL CristalProfi e701 greenline
Art. No.	6021011
VAT	18%
Sales unit (SU)	1
Volume packaging	24.61
Dimensions (l/w/h)	240 mm/285 mm/360 mm
Layer	12
Pallet	48
Category of products	3
Customs tariff	84212100
Country of origin	CN
Type of packaging	Faltschachtel/Karton

PU 1 data	
Product name	JBL CristalProfi e701 greenline
Art. No.	6021011
PU 1 material	cardboard gr
PU 1 weight	600 g
PU 1 lengh	500 mm
PU 1 width/depth	298 mm
PU 1 height	375 mm

PU 2 data	
Product name	JBL CristalProfi e701 greenline
Art. No.	6021011
PU 2 material	None
PU 2 weight	-
PU 2 lengh	-
PU 2 width/depth	-
PU 2 height	-

Trade data	
Product name	JBL CristalProfi e701 greenline
Art. No.	6021011
Till receipt text	CristalPr. e701
Shelf placement	-

