




JBL StabiloPond KH

pH balancer for garden ponds

Suitable for:  



- Natural pond water balance: granulate to stabilise the pH value in the pond between 7.5 and 8.5 to successfully combat algae in the garden pond
- Easy to use: tells you the required quantity, you spread it on the pond
- Life insurance for fish and plants: prevents fish loss during algae blooms
- No risk for fish and plants, ecologically balanced: precise increase of carbonate hardness to stabilise the pH value and to provide the best start conditions for the anti-algae agent to work effectively
- Contents: pH/KH balancer, StabiloPond KH. For first time use or with carbonate hardness 0: 200 g/1000 l pond water, for repeated use: 100 g/1000 l pond water

 You may also be interested in

You can find a complete overview here: <https://www.jbl.de/qr/27317>



JBL BactoPond
Bacteria for biological purification of the pond



JBL StabiloPond Basis
Basic care product for all garden ponds



JBL PondCheck
Quick test to determine the pH and KH values



JBL CleroPond
Water clarifier for the elimination of water cloudiness





JBL StabiloPond KH

Product information

Immediate aid for ponds before you start with the combating of algae

If you do not use JBL StabiloPond Basis regularly, you need to increase the carbonate hardness before combating algae in order to stabilise the pH value and to make sure that the anti-algae agent works at all. We recommend you do that the evening BEFORE you add the anti-algae agent the next morning.

JBL's zero-risk concept

Algae can pollute the pond water and thus cause damage to the fish and the plants in the pond. In collaboration with scientists JBL has developed a concept for a permanent removal of algae.

"1-2-3 algae-free"

1. Stabilise the water: increase the mineral content for anti-algae agents (JBL StabiloPond) to work more effectively
2. Combat algae: add a suitable anti-algae agent (JBL AlgoPond) into the water
3. Limit nutrients: remove the nutrients of dying algae (JBL PhosExPond)

Stabilo Pond KH is easy to use

Determine the required quantity for the garden pond. Spread the calculated quantity widely over the pond. Always use the granulate with a KH lower than 4 (best in the evening), before starting measures to combat algae, during algae blooms or after heavy rainfalls.

Dosage: 100 g granulate for 1000 l pondwater.

| Further information | |
|-----------------------|---|
| FAQ | ✓ |
| Blog | ✓ |
| Press | ✓ |
| Laboratory/calculator | ✓ |
| Worth reading | ✓ |
| Spare parts | ✗ |
| Video | ✓ |
| GarantiePlus | ✗ |
| Instructions | ✓ |
| QR code | |





JBL StabiloPond KH

Product details

| Article data | | | | |
|--------------------------|--------------------------|-------------------------|---------------------------|-------------------------|
| Product name | JBL StabiloPond KH 250 g | JBL StabiloPond KH 1 kg | JBL StabiloPond KH 2,5 kg | JBL StabiloPond KH 5 kg |
| Art. No. | 2731700 | 2731800 | 2731900 | 2732000 |
| EAN number | 4014162273178 | 4014162273185 | 4014162273192 | 4014162273208 |
| EAN as barcode | | | | |
| Content | 0,25 kg | 1 kg | 2,5 kg | 5 kg |
| Range | 2500 l | 10000 l | 25000 l | 50000 l |
| Expiry months | - | - | - | - |
| RRP incl. VAT | 21,60 € | 53,40 € | 76,28 € | 122,74 € |
| Base price | 86,4 € | 53,4 € | 30,51 € | 24,55 € |
| Nominal filling quantity | 250 g | 1 kg | 2,5 kg | 5 kg |
| Base quantity | 1 kg | 1 kg | 1 kg | 1 kg |
| Gross weight | 285 g | 1049 g | 2629 g | 5200 g |
| Net weight | 250 g | 1000 g | 2500 g | 5000 g |
| Weight change | 1000 | 1000 | 1000 | 1000 |

| Disposal | | | | |
|-------------------------|--------------------------|-------------------------|---------------------------|-------------------------|
| Product name | JBL StabiloPond KH 250 g | JBL StabiloPond KH 1 kg | JBL StabiloPond KH 2,5 kg | JBL StabiloPond KH 5 kg |
| Art. No. | 2731700 | 2731800 | 2731900 | 2732000 |
| Green dot | ✓ | ✓ | ✓ | ✓ |
| Group electronic waste | - | - | - | - |
| Disposal weight | - | - | - | - |
| Battery type | - | - | - | - |
| Battery return | - | - | - | - |
| Battery rechargeable | - | - | - | - |
| Disposal weight battery | - | - | - | - |
| Non-returnable glass | - | - | - | - |
| PPK | - | - | - | - |
| Plastic small | 35 g | 49 g | 112 g | - |
| Plastic large | - | - | - | 200 g |
| Disposal weight metal | 0 g | 0 g | 0 g | 0 g |

| Features | | | | |
|-------------------|---|---|---|---|
| Product name | JBL StabiloPond KH 250 g | JBL StabiloPond KH 1 kg | JBL StabiloPond KH 2,5 kg | JBL StabiloPond KH 5 kg |
| Art. No. | 2731700 | 2731800 | 2731900 | 2732000 |
| Animal species | Goldfish, Koi, Mussels, Snails, Sturgeons, Terrapins, Tropical terrapins, Veiltails, turtle | Goldfish, Koi, Mussels, Snails, Sturgeons, Terrapins, Tropical terrapins, Veiltails, turtle | Goldfish, Koi, Mussels, Snails, Sturgeons, Terrapins, Tropical terrapins, Veiltails, turtle | Goldfish, Koi, Mussels, Snails, Sturgeons, Terrapins, Tropical terrapins, Veiltails, turtle |
| Animal size | For all animal sizes | For all animal sizes | For all animal sizes | For all animal sizes |
| Animal age group | All garden pond animals | All garden pond animals | All garden pond animals | All garden pond animals |
| Volume of habitat | > 2,500 L | > 10,000 L | > 25,000 L | > 50,000 L |
| Material | Mixture of minerals | Mixture of minerals | Mixture of minerals | Mixture of minerals |





| Features | | | | |
|----------------------|---|---|---|---|
| Food type | - | - | - | - |
| Colour | white | white | white | white |
| Dosage | Just scatter 100 g JBL StabiloPond KH per 1000 l pond water all over the pond. Use always when KH below 4 | Just scatter 100 g JBL StabiloPond KH per 1000 l pond water all over the pond. Use always when KH below 4 | Just scatter 100 g JBL StabiloPond KH per 1000 l pond water all over the pond. Use always when KH below 4 | Just scatter 100 g JBL StabiloPond KH per 1000 l pond water all over the pond. Use always when KH below 4 |
| Transport conditions | - | - | - | - |





| Article data | |
|--------------------------|--------------------------|
| Product name | JBL StabiloPond KH 10 kg |
| Art. No. | 2732100 |
| EAN number | 4014162273215 |
| EAN as barcode | |
| Content | 10 kg |
| Range | 100000 I |
| Expiry months | - |
| RRP incl. VAT | 208,89 € |
| Base price | 20.89 € |
| Nominal filling quantity | 10 kg |
| Base quantity | 1 kg |
| Gross weight | 10344 g |
| Net weight | 10000 g |
| Weight change | 1000 |

| Disposal | |
|-------------------------|--------------------------|
| Product name | JBL StabiloPond KH 10 kg |
| Art. No. | 2732100 |
| Green dot | ✓ |
| Group electronic waste | - |
| Disposal weight | - |
| Battery type | - |
| Battery return | - |
| Battery rechargeable | - |
| Disposal weight battery | - |
| Non-returnable glass | - |
| PPK | - |
| Plastic small | - |
| Plastic large | 344 g |
| Disposal weight metal | 0 g |

| Features | |
|----------------------|---|
| Product name | JBL StabiloPond KH 10 kg |
| Art. No. | 2732100 |
| Animal species | Goldfish, Koi, Mussels, Snails, Sturgeons, Terrapins, Tropical terrapins, Veiltails, turtle |
| Animal size | For all animal sizes |
| Animal age group | All garden pond animals |
| Volume of habitat | > 100,000 L |
| Material | Mixture of minerals |
| Food type | - |
| Colour | white |
| Dosage | Just scatter 100 g JBL StabiloPond KH per 1000 l pond water all over the pond. Use always when KH below 4 |
| Transport conditions | - |





JBL StabiloPond KH

| Electronic label / illuminant | | | | |
|-------------------------------|--------------------------|-------------------------|---------------------------|-------------------------|
| Product name | JBL StabiloPond KH 250 g | JBL StabiloPond KH 1 kg | JBL StabiloPond KH 2,5 kg | JBL StabiloPond KH 5 kg |
| Art. No. | 2731700 | 2731800 | 2731900 | 2732000 |
| Ambient temperature | - | - | - | - |
| Start time | - | - | - | - |
| Mercury | - | - | - | - |
| Tube length | - | - | - | - |
| Service life | - | - | - | - |
| Lumen | - | - | - | - |
| CRI value | - | - | - | - |
| Dimmable | - | - | - | - |
| Switching cycles | - | - | - | - |
| PAR value | - | - | - | - |
| Energy efficiency class | - | - | - | - |
| UV-A | - | - | - | - |
| UV-B | - | - | - | - |
| UV-C | - | - | - | - |
| Colour temperature | - | - | - | - |
| Base designation | - | - | - | - |

| Technical data | | | | |
|-------------------------------|--------------------------|-------------------------|---------------------------|-------------------------|
| Product name | JBL StabiloPond KH 250 g | JBL StabiloPond KH 1 kg | JBL StabiloPond KH 2,5 kg | JBL StabiloPond KH 5 kg |
| Art. No. | 2731700 | 2731800 | 2731900 | 2732000 |
| Range in litres | - | - | - | - |
| Range from - to | - | - | - | - |
| Range in days | - | - | - | - |
| Range tank length | - | - | - | - |
| Output in watts | - | - | - | - |
| Output per hour | - | - | - | - |
| Output per day | - | - | - | - |
| Height | - | - | - | - |
| Length | - | - | - | - |
| Width | - | - | - | - |
| Diameter | - | - | - | - |
| Voltage | - | - | - | - |
| For | - | - | - | - |
| T8 26mm (watt) | - | - | - | - |
| T5 16mm (watt) | - | - | - | - |
| Size | - | - | - | - |
| Content for | - | - | - | - |
| Filter container volume | - | - | - | - |
| Volume filter media | - | - | - | - |
| Hose connections pressure/out | - | - | - | - |
| Hose connections suction/in | - | - | - | - |
| Delivery head | - | - | - | - |





| Electronic label / illuminant | |
|-------------------------------|--------------------------|
| Product name | JBL StabiloPond KH 10 kg |
| Art. No. | 2732100 |
| Ambient temperature | - |
| Start time | - |
| Mercury | - |
| Tube length | - |
| Service life | - |
| Lumen | - |
| CRI value | - |
| Dimmable | - |
| Switching cycles | - |
| PAR value | - |
| Energy efficiency class | - |
| UV-A | - |
| UV-B | - |
| UV-C | - |
| Colour temperature | - |
| Base designation | - |

| Technical data | |
|-------------------------------|--------------------------|
| Product name | JBL StabiloPond KH 10 kg |
| Art. No. | 2732100 |
| Range in litres | - |
| Range from - to | - |
| Range in days | - |
| Range tank length | - |
| Output in watts | - |
| Output per hour | - |
| Output per day | - |
| Height | - |
| Length | - |
| Width | - |
| Diameter | - |
| Voltage | - |
| For | - |
| T8 26mm (watt) | - |
| T5 16mm (watt) | - |
| Size | - |
| Content for | - |
| Filter container volume | - |
| Volume filter media | - |
| Hose connections pressure/out | - |
| Hose connections suction/in | - |
| Delivery head | - |





JBL StabiloPond KH

| | |
|------------------|---|
| Food type | - |
| Sub product type | - |
| Dosing | Just scatter 100 g JBL StabiloPond KH per 1000 l pond water all over the pond. Use always when KH below 4 |







JBL StabiloPond KH



Safety information

| JBL StabiloPond KH - safety information in accordance with GHS | |
|--|--|
| Signal word | Warning |
| Hazard symbol |  |
| Risk phrase | H319: Causes serious eye irritation. |
| safety note | P101: If medical advice is needed, have product container or label at hand. P102: Keep out of reach of children. P271: Use only outdoors or in a well-ventilated area. P305+P351+P338: IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. P501a: Dispose of contents/container in accordance with local regulations. |

| Further safety information | |
|----------------------------|--|
| Safety instructions | ✓ |
| QR code |  |





Additional information for the specialist trade sector

| Article data | | | | |
|----------------------|--------------------------|-------------------------|---------------------------|-------------------------|
| Product name | JBL StabiloPond KH 250 g | JBL StabiloPond KH 1 kg | JBL StabiloPond KH 2,5 kg | JBL StabiloPond KH 5 kg |
| Art. No. | 2731700 | 2731800 | 2731900 | 2732000 |
| VAT | 19% | 19% | 19% | 19% |
| Sales unit (SU) | 6 | 1 | 1 | 1 |
| Volume packaging | 0.54l | 2.2l | 5.8l | 9.87l |
| Dimensions (l/w/h) | 80 mm/80 mm/84 mm | 130 mm/130 mm/130 mm | 190 mm/190 mm/160 mm | 225 mm/225 mm/195 mm |
| Layer | 240 | 48 | 48 | 28 |
| Pallet | 2160 | 480 | 240 | 112 |
| Category of products | 1 | 1 | 1 | 1 |
| Customs tariff | 38249996 | 38249996 | 38249996 | 38249996 |
| Country of origin | DE | DE | DE | DE |
| Type of packaging | can | Eimer | Eimer | Eimer |

| PU 1 data | | | | |
|------------------|--------------------------|-------------------------|---------------------------|-------------------------|
| Product name | JBL StabiloPond KH 250 g | JBL StabiloPond KH 1 kg | JBL StabiloPond KH 2,5 kg | JBL StabiloPond KH 5 kg |
| Art. No. | 2731700 | 2731800 | 2731900 | 2732000 |
| PU 1 material | film gr | cardboard gr | cardboard gr | cardboard gr |
| PU 1 weight | 6 g | 295 g | 744 g | 650 g |
| PU 1 length | 156 mm | 397 mm | 370 mm | 465 mm |
| PU 1 width/depth | 136 mm | 263 mm | 370 mm | 250 mm |
| PU 1 height | 84 mm | 130 mm | 130 mm | 370 mm |

| PU 2 data | | | | |
|------------------|--------------------------|-------------------------|---------------------------|-------------------------|
| Product name | JBL StabiloPond KH 250 g | JBL StabiloPond KH 1 kg | JBL StabiloPond KH 2,5 kg | JBL StabiloPond KH 5 kg |
| Art. No. | 2731700 | 2731800 | 2731900 | 2732000 |
| PU 2 material | cardboard gr | None | None | None |
| PU 2 weight | 260 g | - | - | - |
| PU 2 length | 235 mm | - | - | - |
| PU 2 width/depth | 320 mm | - | - | - |
| PU 2 height | 175 mm | - | - | - |

| Trade data | | | | |
|-------------------|--------------------------|-------------------------|---------------------------|-------------------------|
| Product name | JBL StabiloPond KH 250 g | JBL StabiloPond KH 1 kg | JBL StabiloPond KH 2,5 kg | JBL StabiloPond KH 5 kg |
| Art. No. | 2731700 | 2731800 | 2731900 | 2732000 |
| Till receipt text | StabiloPond KH | StabiloPond KH | StabiloPond KH | StabiloPond KH |
| Shelf placement | - | - | - | - |





| Article data | |
|----------------------|--------------------------|
| Product name | JBL StabiloPond KH 10 kg |
| Art. No. | 2732100 |
| VAT | 19% |
| Sales unit (SU) | 1 |
| Volume packaging | 18.6l |
| Dimensions (l/w/h) | 265 mm/265 mm/265 mm |
| Layer | 8 |
| Pallet | 32 |
| Category of products | 1 |
| Customs tariff | 38249996 |
| Country of origin | DE |
| Type of packaging | Eimer |

| PU 1 data | |
|------------------|--------------------------|
| Product name | JBL StabiloPond KH 10 kg |
| Art. No. | 2732100 |
| PU 1 material | cardboard gr |
| PU 1 weight | 510 g |
| PU 1 length | 280 mm |
| PU 1 width/depth | 280 mm |
| PU 1 height | 285 mm |

| PU 2 data | |
|------------------|--------------------------|
| Product name | JBL StabiloPond KH 10 kg |
| Art. No. | 2732100 |
| PU 2 material | None |
| PU 2 weight | - |
| PU 2 length | - |
| PU 2 width/depth | - |
| PU 2 height | - |

| Trade data | |
|-------------------|--------------------------|
| Product name | JBL StabiloPond KH 10 kg |
| Art. No. | 2732100 |
| Till receipt text | StabiloPond KH |
| Shelf placement | - |

