

External filter for aquariums from 60 - 200 litres

Suitable for: < 🖈 🖌 🐇 🐋



- External filter for healthy aquarium water: closed water circuit for aquariums of 60 200 litres (60 100 cm)
- Fully equipped and ready to connect: built-in quick-start priming button, filter start without manual priming. Simple assembly
- Extremely smooth running at 700 l/h pump performance, patented pre-filter system: high/biological filter performance with a volume of 6.1 l, water stop, 360° rotatable hose connections, easily exchangeable filter media
- TÜV tested, safe and energy-efficient: lower power consumption than previous models consistant performance
- Package contents: external filter unit for aquariums, CristalProfi e701 greenline, incl. 12/16 hoses & pipes, intake strainer, elbow, suction cups, filter media (bio-filter balls and bio-filter foam), dimensions (L/H/W): 280 x 360 x 240 mm



You may also be interested in

JBL CRISTALPROFI i60 greenline Energy-efficient internal filter for aquariums



JBL CRISTALPROFI i80 greenline Energy-efficient internal filter for aquariums



You can find a complete overview here: https://www.jbl.de/gr/60210

JBL CRISTALPROFI i100 greenline Energy-efficient internal filter for aquariums

Country: Malaysia

Language: English



JBL CRISTALPROFI i200 greenline Energy-efficient internal filter for aquariums







JBL Elbow piece Anti-kink protection for water hoses



JBL CombiBloc CristalProfi e Pre-filter pads and filter foam for CristalProfi e



JBL OutSet wide Outlet pipe with wide jet pipe for external filters



JBL AntiKink Anti-kink protection for hoses



JBL CRISTALPROFI UNIBLOC e Bio-filter foam insert for CristalProfi e



JBL OutSet spray Water outlet set with 2-part spray bar



JBL Aquarium Tubing GREY Pre-cut grey hose for aquariums & ponds



JBL CRISTALPROFI CLEARMEC e Nitrite, nitrate, phosphate remover for CristalProfi e



JBL Aquarium Tubing GREEN Pre-cut green hose for aquariums & ponds



JBL Aquarium tubing GREY on reel Grey-transparent hose wound on a reel



JBL InSet Suction pipe complete set for external filters



JBL FixSet Suction pads and spacers for external filters









#### Accessorie



JBL CristalProfi Pulling Aid Impell. Bearing&Brush Pulling aid and cleaning brush for impeller bearings



JBL TopClean II Surface skimmer



JBL FilterBag wide Container bag for coarse filter material



JBL CRISTALPROFI COMBIBLOC II Set with filter sponges for filter CristalProfi e (02)



JBL CRISTALPROFI SYMECPAD e 6 filter fleece f. JBL CristalProfi e external filters



JBL Carbomec ultra Highly activated pelletized carbon



JBL CRISTALPROFI COMBIFILTER Basket II filter basket replace. kit f. CristalProfi ext. filter



JBL Symec Filter floss Filter wool to remove all types of cloudiness



JBL SILICONE SPRAY Care spray for technical aquarium/garden pond items



JBL Symec XL Coarse filter wool to remove all types of water cloudiness



JBL SilicatEx Rapid Prevents diatoms by removing silicate



JBL Symec VL Filter wool fleece to remove water cloudiness





Accessories



JBL Fine Filter Foam Fine foam for filters to combat all kinds of water cloudiness



JBL Cermec Ceramic filter tubes for aquarium filters



JBL ClearMec plus Nitrite, nitrate and phosphate remover



JBL Coarse Filter Foam Coarse foam for filters to combat all kinds of water cloudiness



JBL Carbomec activ High performance activated carbon for freshwater aquariums



JBL NitratEX Filter material for the rapid removal of nitrate (NO3)



JBL Sintomec Sintered bio-glass rings for breakdown of pollutants



JBL Symec micro Microfibre fleece against water cloudiness



JBL BioNitratEX Biological filter material for the removal of nitrates



JBL Micromec Sintered bio-glass balls for breaking down pollutants



JBL Tormec activ Active peat pellets for freshwater aquariums



JBL PhosEX ultra Filter material for the removal of phosphate





Accessories



JBL FilterBag fine Container bag for aquarium filter material



JBL Cleany Double-ended hose brush for hoses from 9-30 mm



JBL Aquarium tubing GREEN on reel Green-transparent hose wound on a plastic reel







JBL CP e pump head handle




JBL CP e clip for casing



6348810

JBL adapter UK for all flat-pin plugs




JBL CP e4/7/9/15/1900/1/2 handle screws



JBL CP e impeller cover seal



JBL CP e impeller cover



JBL CP e4/7/9/15/1900/1,2

pump head screws



JBL CP e pump head greenline



JBL CP e start button + union nut



JBL CP e bottom panel for start button



JBL CP e union nut for hose connection



JBL CP e seal connection block





#### JBL CristalProfi e701 greenline Spare parts





JBL CP e casing clip



JBL CP e pump head cover



JBL CP e distributor plate



JBL CP e4/7/9/15/1900/1

stopcock set

JBL CP e pump head washer



JBL CP e spray bar kit



JBL CP e4/7/9/1500/1/2 rubber buffer



JBL CP e impeller kit Complete spare impeller kit for JBL CristalProfi e



JBL CP e basket insert top



JBL CP e standard basket insert



Date:

7

JBL CP e filter canister



JBL CP e plug for spray bar





JBL CP e hose connection block





Product information

#### Clean and healthy water

Plant and food remains and metabolic substances lead to a deterioration of the quality of the water in the aquarium. Good water quality is necessary for healthy fish and plants. This can be achieved with aquarium filters. The filters suck in the aquarium water and remove the pollution and waste materials with the filter material from the water Filters also offer an ideal habitat for bacteria which decompose harmful substances.

#### Easy to install

The external filter is completely equipped and ready to connect. The built-in quick-start device makes the filter easy to install without the need for manual priming. The filter media are included in the contents.

#### Easy to clean

Replacing the easy to reach pre-filter means that you only rarely need to clean the rest of the filter. The large filter volume provides a high biological filtering performance involving several filter layers. The bio-filter balls inside have different diameters. This promotes the self-cleaning effect.

#### Energy efficient and safe

With only 9 W power consumption the CristalProfi e701 offers substantial energy savings. The patented hose connection bloc with a safety valve prevents water leakage when disconnecting the filter. JBL CristalProfi is TÜV tested.

| Further information   |   |
|-----------------------|---|
| FAQ                   | ~ |
| Blog                  | ~ |
| Press                 | ~ |
| Laboratory/calculator | × |
| Worth reading         | ~ |
| Spare parts           | ~ |
| Video                 | ~ |
| GarantiePlus          | ~ |
| Instructions          | ~ |
| QR code               |   |



Product details

| Article data             |                                 |
|--------------------------|---------------------------------|
| Product name             | JBL CristalProfi e701 greenline |
| Art. No.                 | 6021040                         |
| EAN number               | 4014162036360                   |
| EAN as barcode           |                                 |
| Performance              | 700 l/h                         |
| Watt                     | 9 W                             |
| Expiry months            | -                               |
| RRP incl. VAT            | 122,50 €                        |
| Base price               | -                               |
| Nominal filling quantity | -                               |
| Base quantity            | 1                               |
| Gross weight             | 5654 g                          |
| Net weight               | 4800 g                          |
| Weight change            | 1000                            |

| Disposal                |   |
|-------------------------|---|
| Product name            | JBL CristalProfi e701 greenline   |
| Art. No.                | 6021040   |
| Green dot               | <ul> <li>Image: A start of the start of</li></ul> |
| Group electronic waste  | X Beleuchtungskörper  |
| Disposal weight         | 1400 g  |
| Battery type            | -   |
| Battery return          | -   |
| Battery rechargeable    | -   |
| Disposal weight battery | -   |
| Non-returnable glass    | -   |
| РРК                     | 854 g   |
| Plastic small           | -   |
| Plastic large           | -   |
| Disposal weight metal   | 0 g   |

| Features       |   |
|----------------|---|
| Product name   | JBL CristalProfi e701 greenline   |
| Art. No.       | 6021040   |
| Animal species | Arowana, Axoloti, Barbels, Bettas,<br>Bichirs/reedfish, Blowfish, Catfish,<br>Cichlids (South America), Corals,<br>Crayfish, Danions, Discus, Dwarf<br>shrimps, Flowerhorn, Gobies,<br>Goldfish, Gouramis, Guppy,<br>Juvenile fish, Killifish, Livebearers,<br>Loaches, Mussels, Newts,<br>Panchaxes, Rainbowfish, Snails,<br>Spiny eels, Terrapins, Tetra,<br>Tropical terrapins, Tetra,<br>freshwater butterflyfish, turtle |

Country: Malaysia

Language: English



| Features             |   |
|----------------------|---|
| Animal size          | For all animal sizes                                      |
| Animal age group     | All aquarium fish   |
| Volume of habitat    | 60-200 L ( 60-100cm)                                      |
| Material             | plastic (material mix: ABS, SAN,<br>POM) / metal (copper) |
| Food type            | -   |
| Colour               | silver / black  |
| Dosage               | -   |
| Transport conditions | -   |





| Electronic label / illuminant |                                 |
|-------------------------------|---------------------------------|
| Product name                  | JBL CristalProfi e701 greenline |
| Art. No.                      | 6021040                         |
| Ambient temperature           | -                               |
| Start time                    | -                               |
| Mercury                       | -                               |
| Tube length                   | -                               |
| Service life                  | -                               |
| Lumen                         | -                               |
| CRI value                     | -                               |
| Dimmable                      | -                               |
| Switching cycles              | -                               |
| PAR value                     | -                               |
| Energy efficiency class       | -                               |
| UV-A                          | -                               |
| UV-B                          | -                               |
| UV-C                          | -                               |
| Colour temperature            | -                               |
| Base designation              | -                               |
|                               |                                 |
| Technical data                |                                 |
| Product name                  | JBL CristalProfi e701 greenline |

| Product nameJBL CristalProfi e701 greenlineArt. No.6021040Range in litres-Range from - to-Range from - to-Range in days-Qutput in watts9 WOutput per hour700Output per day-Height-Length-Vidth-Diameter-Yoltage-T5 16mm (watt)-Size-Size-Content for-Filter container volume-Volume filter media-Hose connections pressure/out-Pilivery head-Delivery head-Size-Content for-Filter container volume-Hose connections suction/in-Delivery head- |                               |                                 |
|--|-------------------------------|---------------------------------|
| Range in litres-Range in litres-Range from - to-Range in days-Range tank length-Output in watts9 WOutput per hour700Output per day-Height-Length-Vidth-Diameter-Voltage-For-T5 16mm (watt)-Size-Content for-Filter container volume-Volume filter media-Hose connections pressure/out-Hose connections suction/in-   | Product name                  | JBL CristalProfi e701 greenline |
| Range from - to-Range in days-Range tank length-Output in watts9 WOutput per hour700Output per day-Height-Length-Vidth-Diameter-Yoltage-For-T8 26mm (watt)-Size-Content for-Filter container volume-Volume filter media-Hose connections pressure/out-Hose connections suction/in-   | Art. No.                      | 6021040                         |
| Range in days-Range tank length-Output in watts9 WOutput per hour700Output per day-Height-Length-Width-Diameter-Voltage-For-T5 16mm (watt)-Size-Content for-Filter container volume-Volume filter media-Hose connections pressure/out-Hose connections suction/in-   | Range in litres               | -                               |
| Range tank length-Output in watts9 WOutput per hour700Output per day-Height-Length-Width-Diameter-Voltage-For-T5 16mm (watt)-Size-Content for-Filter container volume-Volume filter media-Hose connections pressure/out-Hose connections suction/in-   | Range from - to               | -                               |
| Output in watts9 WOutput per hour700Output per day-Height-Length-Width-Diameter-Voltage-For-T8 26mm (watt)-T5 16mm (watt)-Size-Content for-Filter container volume-Volume filter media-Hose connections pressure/out-Hose connections suction/in-  | Range in days                 | -                               |
| Output per hour700Output per day-Height-Length-Width-Diameter-Voltage-For-T8 26mm (watt)-Size-Content for-Filter container volume-Volume filter media-Hose connections pressure/out-Hose connections suction/in-   | Range tank length             | -                               |
| Output per day-Height-Length-Width-Diameter-Voltage-For-T8 26mm (watt)-T5 16mm (watt)-Size-Content for-Filter container volume-Volume filter media-Hose connections pressure/out-Hose connections suction/in-  | Output in watts               | 9 W                             |
| Height-Length-Width-Diameter-Voltage-For-T8 26mm (watt)-T5 16mm (watt)-Size-Content for-Filter container volume-Volume filter media-Hose connections pressure/out-Hose connections suction/in-   | Output per hour               | 700                             |
| Length-Length-Width-Diameter-Voltage-For-T8 26mm (watt)-T5 16mm (watt)-Size-Content for-Filter container volume-Volume filter media-Hose connections pressure/out-Hose connections suction/in-   | Output per day                | -                               |
| Width-Diameter-Diameter-Voltage-For-T8 26mm (watt)-T5 16mm (watt)-Size-Content for-Filter container volume-Volume filter media-Hose connections pressure/out-Hose connections suction/in-  | Height                        | -                               |
| DiameterDiameter-Voltage-For-T8 26mm (watt)-T5 16mm (watt)-Size-Content for-Filter container volume-Volume filter media-Hose connections pressure/out-Hose connections suction/in-   | Length                        | -                               |
| VoltageFor-For-T8 26mm (watt)-T5 16mm (watt)-Size-Content for-Filter container volume-Volume filter media-Hose connections pressure/out-Hose connections suction/in-   | Width                         | -                               |
| For       -         For       -         T8 26mm (watt)       -         T5 16mm (watt)       -         Size       -         Content for       -         Filter container volume       -         Volume filter media       -         Hose connections pressure/out       -         Hose connections suction/in       -   | Diameter                      | -                               |
| T8 26mm (watt)       -         T5 16mm (watt)       -         Size       -         Content for       -         Filter container volume       -         Volume filter media       -         Hose connections pressure/out       -         Hose connections suction/in       -   | Voltage                       | -                               |
| T5 16mm (watt)     -       Size     -       Content for     -       Filter container volume     -       Volume filter media     -       Hose connections pressure/out     -       Hose connections suction/in     -  | For                           | -                               |
| Size     -       Content for     -       Filter container volume     -       Volume filter media     -       Hose connections pressure/out     -       Hose connections suction/in     -   | T8 26mm (watt)                | -                               |
| Content for     -       Filter container volume     -       Volume filter media     -       Hose connections pressure/out     -       Hose connections suction/in     -  | T5 16mm (watt)                | -                               |
| Filter container volume     -       Volume filter media     -       Hose connections pressure/out     -       Hose connections suction/in     -  | Size                          | -                               |
| Volume filter media     -       Hose connections pressure/out     -       Hose connections suction/in     -  | Content for                   | -                               |
| Hose connections pressure/out -<br>Hose connections suction/in -   | Filter container volume       | -                               |
| Hose connections suction/in -  | Volume filter media           | -                               |
|  | Hose connections pressure/out | -                               |
| Delivery head -  | Hose connections suction/in   | -                               |
|  | Delivery head                 | -                               |



| Food type        | - |
|------------------|---|
| Sub product type | - |
| Dosing           | - |





#### Additional information for the specialist trade sector

| Article data         |                                 |
|----------------------|---------------------------------|
| Product name         | JBL CristalProfi e701 greenline |
| Art. No.             | 6021040                         |
| VAT                  | 19%                             |
| Sales unit (SU)      | 300                             |
| Volume packaging     | 24.61                           |
| Dimensions (l/w/h)   | 240 mm/285 mm/360 mm            |
| Layer                | 12                              |
| Pallet               | 48                              |
| Category of products | 3                               |
| Customs tariff       | 84212100                        |
| Country of origin    | CN                              |
| Type of packaging    | Faltschachtel/Karton            |

| PU 1 data        |                                 |
|------------------|---------------------------------|
| Product name     | JBL CristalProfi e701 greenline |
| Art. No.         | 6021040                         |
| PU 1 material    | cardboard gr                    |
| PU 1 weight      | 600 g                           |
| PU 1 lengh       | 500 mm                          |
| PU 1 width/depth | 298 mm                          |
| PU 1 height      | 375 mm                          |

| PU 2 data        |                                 |
|------------------|---------------------------------|
| Product name     | JBL CristalProfi e701 greenline |
| Art. No.         | 6021040                         |
| PU 2 material    | None                            |
| PU 2 weight      | -                               |
| PU 2 lengh       | -                               |
| PU 2 width/depth | -                               |
| PU 2 height      | -                               |

| Trade data        |                                 |
|-------------------|---------------------------------|
| Product name      | JBL CristalProfi e701 greenline |
| Art. No.          | 6021040                         |
| Till receipt text | CristalPr. e701                 |
| Shelf placement   | -                               |