



# JBL ProFlow u2000

Universal pump with 2000 l/h for circulation of water

Suitable for:   



- Clean and healthy water: universal pump with 2000 l/h output for the circulation of water in aquariums and aqua-terrariums. Use for bio filters, indoor fountains and other fountains
- Use in aquariums/terrariums as internal/external pump: connect hose inlet 27/35 (or strainer), outlet 19/25 to pump, connect mains plug
- Suitable for all bio filters, adjustable pump capacity, stainless steel shaft, max. pumping head 2 m
- Tested to TÜV, low power consumption of 35 W, completely submersible (IPX8), sturdy mounting due to 4 suction cups
- Package contents: universal pump for water pumping, incl. 4 suction cups. Dimensions (l/h/w): 107 x 54 x 96 mm. Choice of strainer suction protector/hose connection on the suction tract



# JBL ProFlow u2000

## Accessories




**JBL ProFlow sf for  
u800,1100,2000**  
Quick filter cartridge for JBL  
ProFlow pumps




# JBL ProFlow u2000


## Spare parts




JBL PF t300/CP i30  
impeller




JBL PF "u" cover + hose  
connection




JBL PF "u" O-ring cover  
+ hose connection



JBL PF "u" suction cups



JBL PF "u" protective  
screen + regulation



JBL PF u800/1100/2000  
intake strainer



JBL adapter UK for all  
flat-pin plugs



# JBL ProFlow u2000



## Product information

### Clean and healthy water


Plant and food remains and metabolic substances lead to a deterioration of the quality of the water in the aquarium. Good water quality is necessary for the promotion of health in fish and plants. Water pumps ensure permanent circulation and contribute to the maintenance of clean and healthy water.

### Versatile use

Thanks to its small size the JBL submersible pump fits in every bio filter and thus can be used as feed pump in clarified water filters. The low minimum water level of 4 cm also makes it an ideal pump in indoor fountains and fountains in aqua-terrariums.

### Safe and economical

The submersible pump is tested to TÜV and completely submersible (IPX8). It achieves high output at a low consumption of 35 W. Three suction cups ensure sturdy mounting.

Further information	
FAQ	✓
Blog	✓
Press	✓
Laboratory/calculator	✗
Worth reading	✓
Spare parts	✓
Video	✓
GarantiePlus	✓
Instructions	✓
QR code	





# JBL ProFlow u2000



## Product details

Article data	
Product name	JBL ProFlow u2000
Art. No.	6058500
EAN number	4014162605856
EAN as barcode	
Performance	2000 l/h
Watt	35 W
Expiry months	-
RRP incl. VAT	94,28 €
Base price	-
Nominal filling quantity	-
Base quantity	1
Gross weight	816 g
Net weight	703 g
Weight change	1000

Disposal	
Product name	JBL ProFlow u2000
Art. No.	6058500
Green dot	✓
Group electronic waste	Small appliances that can be used in private households
Disposal weight	680 g
Battery type	-
Battery return	-
Battery rechargeable	-
Disposal weight battery	-
Non-returnable glass	-
PPK	78 g
Plastic small	-
Plastic large	-
Disposal weight metal	0 g

Features	
Product name	JBL ProFlow u2000
Art. No.	6058500
Animal species	Arowana, Axolotl, Barbels, Bettas, Bichirs/reedfish, Blowfish, Catfish, Cichlids (South America), Corals, Crayfish, Danions, Discus, Dwarf shrimps, Flowerhorn, Gobies, Goldfish, Gouramis, Guppy, Juvenile fish, Killifish, Livebearers, Loaches, Mussels, Newts, Panchaxes, Rainbowfish, Snails, Spiny eels, Terrapins, Tetra, Tropical terrapins, Veiltails, freshwater butterflyfish, turtle





<b>Features</b>	
Animal size	For all animal sizes
Animal age group	All aquarium fish
Volume of habitat	For all aquariums
Material	plastic (ABS ) / metal (copper)
Food type	-
Colour	black
Dosage	-
Transport conditions	-



# JBL ProFlow u2000

Electronic label / illuminant	
Product name	JBL ProFlow u2000
Art. No.	6058500
Ambient temperature	-
Start time	-
Mercury	-
Tube length	-
Service life	-
Lumen	-
CRI value	-
Dimmable	-
Switching cycles	-
PAR value	-
Energy efficiency class	-
UV-A	-
UV-B	-
UV-C	-
Colour temperature	-
Base designation	-

Technical data	
Product name	JBL ProFlow u2000
Art. No.	6058500
Range in litres	-
Range from - to	-
Range in days	-
Range tank length	-
Output in watts	35 W
Output per hour	2000
Output per day	-
Height	960 mm
Length	107 mm
Width	54 mm
Diameter	-
Voltage	-
For	-
T8 26mm (watt)	-
T5 16mm (watt)	-
Size	-
Content for	-
Filter container volume	-
Volume filter media	-
Hose connections pressure/out	-
Hose connections suction/in	-
Delivery head	-





# JBL ProFlow u2000

Food type	-
Sub product type	-
Dosing	-







**Additional information for the specialist trade sector**

Article data	
Product name	JBL ProFlow u2000
Art. No.	6058500
VAT	19%
Sales unit (SU)	1
Volume packaging	2.45l
Dimensions (l/w/h)	90 mm/140 mm/195 mm
Layer	96
Pallet	480
Category of products	3
Customs tariff	84137021
Country of origin	IT
Type of packaging	Faltschachtel/Karton

PU 1 data	
Product name	JBL ProFlow u2000
Art. No.	6058500
PU 1 material	cardboard gr
PU 1 weight	530 g
PU 1 length	300 mm
PU 1 width/depth	300 mm
PU 1 height	390 mm

PU 2 data	
Product name	JBL ProFlow u2000
Art. No.	6058500
PU 2 material	-
PU 2 weight	-
PU 2 length	-
PU 2 width/depth	-
PU 2 height	-

Trade data	
Product name	JBL ProFlow u2000
Art. No.	6058500
Till receipt text	ProFlow u2000
Shelf placement	-

