



# JBL PROAQUATEST pH 6.0-7.6

pH test for freshwater aquariums in the range 6.0-7.6

Suitable for: 



- Simple and reliable monitoring of the aquarium water values. Determines the ideal pH value in freshwater aquariums
- Laboratory comparator system to compensate the inherent water colour: fill plastic cuvette with sample water, add reagent to one cuvette, place both cuvettes in holder, read values off colour chart
- When to use: daily for one week in newly set up aquariums, afterwards weekly
- Online Laboratory: regular monitoring for a healthy aquarium with natural conditions. JBL has water tests in the form of quick tests or colour change tests for every water analysis. Testing aquarium water for healthy, clear water
- Package contents: 1 quick test, pH test 6.0-7.6 for approx. 80 measurements. Incl. reagent, 2 glass vials with screw caps, syringe, comparator block and colour scale. Reagent refill separately available



# JBL PROAQUATEST pH 6.0-7.6

 Spare parts



JBL component set for water tests



JBL PROAQUATEST range colour charts





# JBL PROAQUATEST pH 6.0-7.6



## Product information

Healthy aquariums with conditions close to nature

The right water values are dependent on the fish stock and the plants in the aquarium. Even if the water looks clear it can be contaminated. With bad values diseases or algae can appear in the aquarium. To maintain a healthy aquarium with conditions close to nature it is important to check and adapt the water values regularly.

For each water analysis JBL provides water tests in the form of rapid tests or colour change tests. These determine a certain value or several values in one go. With these water tests you can recognise algae problems and negative nitrate, nitrite, potassium, magnesium values etc.

Why test?

The well-being of aquarium dwellers and the healthy growth of aquatic plants depend to a large extent on the pH level being kept as constant as possible. Many substances dissolved in water are also liable to changes caused by the pH level. Fluctuations in the pH level in particular ought to be avoided.

JBL Online Laboratory

Regular monitoring for a healthy aquarium with conditions close to nature. Enter your water values into the JBL Online Laboratory and get an in-depth analysis of your values within seconds.

Recommended pH values:


Freshwater aquarium (community aquarium) 6.5-7.5;

Lake Malawi & Lake Tanganyika aquariums 7.8-9.2

Plant aquarium with few fish (aquascaping): 6.0-7.0

Marine aquariums: 7.9-8.5

Ponds: 7.5-8.5

Further information	
FAQ	✓
Blog	✓
Press	✓
Laboratory/calculator	✗
Worth reading	✓
Spare parts	✓
Video	✓
GarantiePlus	✗
Instructions	✓
QR code	





# JBL PROAQUATEST pH 6.0-7.6



## Product details

Article data		
Product name	JBL PROAQUATEST pH 6.0-7.6	JBL PROAQUATEST pH 6.0-7.6 REFILL
Art. No.	2410300	2410400
EAN number	4014162241030	4014162241047
EAN as barcode		
For	80 Tests	Refill
-	-	-
Expiry months	36	36
RRP incl. VAT	13,63 €	6,75 €
Base price	-	-
Nominal filling quantity	-	-
Base quantity	1	1
Gross weight	124 g	28 g
Net weight	87 g	10 g
Weight change	-	-

Disposal		
Product name	JBL PROAQUATEST pH 6.0-7.6	JBL PROAQUATEST pH 6.0-7.6 REFILL
Art. No.	2410300	2410400
Green dot	✓	✓
Group electronic waste	-	-
Disposal weight	-	-
Battery type	-	-
Battery return	-	-
Battery rechargeable	-	-
Disposal weight battery	-	-
Non-returnable glass	-	-
PPK	27 g	7,5 g
Plastic small	10 g	10 g
Plastic large	-	-
Disposal weight metal	0 g	0 g

Features		
Product name	JBL PROAQUATEST pH 6.0-7.6	JBL PROAQUATEST pH 6.0-7.6 REFILL
Art. No.	2410300	2410400





Features		
Animal species	Armored catfish, Arowana, Axolotl, Barbels, Bettas, Bichirs/ reedfish, Blowfish, Catfish, Cichlids (South America), Clawed frogs, Clawed shrimps, Crayfish, Crustaceans, Danions, Discus, Dwarf crayfish, Dwarf shrimps, Flowerhorn, Gill maggots, Goldfish, Gouramis, Guppy, Juvenile fish, Killifish, Livebearers, Loaches, Mussels, Newts, Panchaxes, Rainbowfish, Snails, Spiny eels, Terrapins, Tetra, Tropical tortoises, Veiltails, blood parrot cichlids, freshwater butterflyfish, turtle	Armored catfish, Arowana, Axolotl, Barbels, Bettas, Bichirs/ reedfish, Blowfish, Catfish, Cichlids (South America), Clawed frogs, Clawed shrimps, Crayfish, Crustaceans, Danions, Discus, Dwarf crayfish, Dwarf shrimps, Flowerhorn, Gill maggots, Goldfish, Gouramis, Guppy, Juvenile fish, Killifish, Livebearers, Loaches, Mussels, Newts, Panchaxes, Rainbowfish, Snails, Spiny eels, Terrapins, Tetra, Tropical tortoises, Veiltails, blood parrot cichlids, freshwater butterflyfish, turtle
Animal size	For all animal sizes	For all animal sizes
Animal age group	All aquarium fish	All aquarium fish
Volume of habitat	-	-
Material	Reagent(s) in plastic bottle(s) and/ or glass bottle(s) + plastic and/or glass accessories. REFILL: reagent (s) without accessories.	Reagent(s) in plastic bottle(s) and/ or glass bottle(s) + plastic and/or glass accessories. REFILL: reagent (s) without accessories.
Food type	-	-
Colour	white / transparent / black	white / transparent / black
Dosage	See instructions	See instructions
Transport conditions	-	-





# JBL PROAQUATEST pH 6.0-7.6

Electronic label / illuminant		
Product name	JBL PROAQUATEST pH 6.0-7.6	JBL PROAQUATEST pH 6.0-7.6 REFILL
Art. No.	2410300	2410400
Ambient temperature	-	-
Start time	-	-
Mercury	-	-
Tube length	-	-
Service life	-	-
Lumen	-	-
CRI value	-	-
Dimmable	-	-
Switching cycles	-	-
PAR value	-	-
Energy efficiency class	-	-
UV-A	-	-
UV-B	-	-
UV-C	-	-
Colour temperature	-	-
Base designation	-	-

Technical data		
Product name	JBL PROAQUATEST pH 6.0-7.6	JBL PROAQUATEST pH 6.0-7.6 REFILL
Art. No.	2410300	2410400
Range in litres	-	-
Range from - to	-	-
Range in days	-	-
Range tank length	-	-
Output in watts	-	-
Output per hour	-	-
Output per day	-	-
Height	175 mm	64 mm
Length	106 mm	24 mm
Width	43 mm	24 mm
Diameter	-	24 mm
Voltage	-	-
For	-	-
T8 26mm (watt)	-	-
T5 16mm (watt)	-	-
Size	-	-
Content for	-	-
Filter container volume	-	-
Volume filter media	-	-
Hose connections pressure/out	-	-
Hose connections suction/in	-	-





Technical data		
Delivery head	-	-





# JBL PROAQUATEST pH 6.0-7.6

Food type	-
Sub product type	-
Dosing	See instructions







# JBL PROAQUATEST pH 6.0-7.6

## Safety information

JBL pH 6.0-7.6 - safety information in accordance with GHS	
Signal word	Warning
Hazard symbol	
Risk phrase	H226: Flammable liquid and vapour. H319: Causes serious eye irritation.
safety note	P101: If medical advice is needed, have product container or label at hand. P102: Keep out of reach of children. P303+P361+P353: IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water [or shower]. P305+P351+P338: IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. P501a: Dispose of contents/container in accordance with local regulations.

Further safety information	
Safety instructions	✓
QR code	





## Additional information for the specialist trade sector

Article data		
Product name	JBL PROAQUATEST pH 6.0-7.6	JBL PROAQUATEST pH 6.0-7.6 REFILL
Art. No.	2410300	2410400
VAT	19%	19%
Sales unit (SU)	3	1
Volume packaging	0.8l	0.57l
Dimensions (l/w/h)	43 mm/106 mm/175 mm	30 mm/110 mm/175 mm
Layer	240	800
Pallet	720	2400
Category of products	1	1
Customs tariff	38221100	38221100
Country of origin	DE	DE
Type of packaging	Faltschachtel/Karton	Skin / blister card packaging

PU 1 data		
Product name	JBL PROAQUATEST pH 6.0-7.6	JBL PROAQUATEST pH 6.0-7.6 REFILL
Art. No.	2410300	2410400
PU 1 material	film gr	cardboard gr
PU 1 weight	3.5 g	660 g
PU 1 length	106 mm	580 mm
PU 1 width/depth	130 mm	390 mm
PU 1 height	180 mm	390 mm

PU 2 data		
Product name	JBL PROAQUATEST pH 6.0-7.6	JBL PROAQUATEST pH 6.0-7.6 REFILL
Art. No.	2410300	2410400
PU 2 material	cardboard gr	None
PU 2 weight	540 g	-
PU 2 length	400 mm	-
PU 2 width/depth	400 mm	-
PU 2 height	350 mm	-

Trade data		
Product name	JBL PROAQUATEST pH 6.0-7.6	JBL PROAQUATEST pH 6.0-7.6 REFILL
Art. No.	2410300	2410400
Till receipt text	Test pH 7-7.6	Refill pH 7-7.6
Shelf placement	Test shelf, water treatment troubleshooting	Test shelf, water treatment troubleshooting