



Expandable CO2 reactor for freshwater aquariums

Suitable for:









- Loss-free enrichment of the main plant nutrient carbon dioxide: CO2 reactor for freshwater aquariums from 40 to 400 l from a height of 20 cm
- Easy to install: use the special CO2 hose to connect the reactor to the CO2 fertiliser system (not included), use the suction holders to position the reactor in the aquarium
- Visible and efficient diffusion of CO2, operation without additional pump, no separate bubble counter necessary, easy to clean, completely dismountable, suitable for all common CO2 systems, expandable
- Collecting cap to compensate CO2 loss, sturdy Makrolon, up to max. 400 l at 4°KH, up to 200 l at 10°KH
- Package contents: CO2 high diffusion reactor with 10 modules + bottom module with hose connection + collecting cap module on top, 4 holding clips with suction cups, 2 m special CO2 hose, height 19 cm

Country: Bulgaria

Language: English











JBL Suction cup with clip 37 mm Rubber suction cup with clip for objects of 37-45 mm




Country: Bulgaria

Language: English







Ideal nutrition for plants

Having the right CO2 concentration in the water is hugely important for aquarium plants. Carbon dioxide is the plants' main nutrient and it fully promotes their growth. Plants use CO2 for photosynthesis and this supplies the water with essential oxygen. They prevent algae growth, remove pollutants, provide hiding places and reduce germs.

Efficient enrichment of the aquarium water with CO2:

The CO2 gas enters the lowest module through the CO2 supply hose in the middle of the reactor. There it enters the bends of the CO2 reactor in bubbles (visible and thus countable) and rises upwards in a circle, like in a car park driveway. On this long path, the CO2 dissolves from the CO2 bubbles in the aguarium water. In this way, the CO2 system supplies the aguarium plants with their main nutrient, carbon dioxide.

Why don't the CO2 bubbles dissolve completely?

On their way up, the bubbles release CO2 into the aquarium water, but at the same time absorb other gases from the water, because these gases are more concentrated in the aquarium water than in a CO2 bubble. Therefore, the CO2 content in the bubble decreases and, for example, the oxygen and nitrogen gas content increases. At the end of its journey through the CO2 reactor, it has clearly become less, but it only contains as much CO2 as the surrounding water and all the gases that are also contained in the aquarium water.

If the desired CO2 content is not achieved even though the bubble count has been increased, the reactor can be extended by adding further modules. This extends the path for the CO2 bubbles and more CO2 can be added. The only limitation is the height of the aquarium.

Further information	
FAQ	~
Blog	~
Press	×
Laboratory/calculator	×
Worth reading	~
Spare parts	~
Video	~
GarantiePlus	×
Instructions	~
QR code	









Product details

Article data	
Product name	JBL PROFLORA CO2 TAIFUN SPIRAL 10
Art. No.	6468500
EAN number	4014162646859
EAN as barcode	
Height	190 mm
Range	40-400 I
Expiry months	-
RRP incl. VAT	33,38 €
Base price	-
Nominal filling quantity	-
Base quantity	1
Gross weight	218.16 g
Net weight	179 g
Weight change	-

Disposal	
Product name	JBL PROFLORA CO2 TAIFUN SPIRAL 10
Art. No.	6468500
Green dot	✓
Group electronic waste	-
Disposal weight	-
Battery type	-
Battery return	-
Battery rechargeable	-
Disposal weight battery	-
Non-returnable glass	-
PPK	39.11 g
Plastic small	-
Plastic large	-
Disposal weight metal	0 g

Features	
Product name	JBL PROFLORA CO2 TAIFUN SPIRAL 10
Art. No.	6468500
Animal species	Arowana, Axolotl, Barbels, Bettas, Bichirs/reedfish, Blowfish, Cichlids (South America), Crayfish, Danions, Discus, Dwarf shrimps, Flowerhorn, Goldfish, Gouramis, Guppy, Juvenile fish, Killifish, Livebearers, Loaches, Panchaxes, Rainbowfish, Snails, Spiny eels, Tetra, Veiltails, freshwater butterflyfish





TECHNICAL PRODUCTS TECHNIK TECHNIQUE





Features	
Animal size	For all animal sizes
Animal age group	All aquarium fish
Volume of habitat	40-400 I
Material	plastic (PC)
Food type	-
Colour	transparent / black
Dosage	-
Transport conditions	-







Electronic label / illuminant	
Product name	JBL PROFLORA CO2 TAIFUN SPIRAL 10
Art. No.	6468500
Ambient temperature	-
Start time	-
Mercury	-
Tube length	-
Service life	-
Lumen	-
CRI value	-
Dimmable	-
Switching cycles	-
PAR value	-
Energy efficiency class	-
UV-A	-
UV-B	-
UV-C	-
Colour temperature	-
Base designation	-

Technical data	
Product name	JBL PROFLORA CO2 TAIFUN SPIRAL 10
Art. No.	6468500
Range in litres	-
Range from - to	-
Range in days	-
Range tank length	-
Output in watts	-
Output per hour	-
Output per day	-
Height	190 mm
Length	60 mm
Width	50 mm
Diameter	-
Voltage	-
For	-
T8 26mm (watt)	-
T5 16mm (watt)	-
Size	-
Content for	-
Filter container volume	-
Volume filter media	-
Hose connections pressure/out	-
Hose connections suction/in	-



TECHNICAL PRODUCTS TECHNIK TECHNIQUE





Technical data	
Delivery head	-







Food type	-
Sub product type	-
Dosing	-



Date: 30.12.2023 Produced by:







Additional information for the specialist trade sector

Article data	
Product name	JBL PROFLORA CO2 TAIFUN SPIRAL 10
Art. No.	6468500
VAT	20%
Sales unit (SU)	3
Volume packaging	1.171
Dimensions (l/w/h)	70 mm/70 mm/280 mm
Layer	90
Pallet	630
Category of products	3
Customs tariff	39269097
Country of origin	DE
Type of packaging	Faltschachtel/Karton

PU 1 data	
Product name	JBL PROFLORA CO2 TAIFUN SPIRAL 10
Art. No.	6468500
PU 1 material	film gr
PU 1 weight	5.6 g
PU 1 lengh	70 mm
PU 1 width/depth	210 mm
PU 1 height	240 mm

PU 2 data	
Product name	JBL PROFLORA CO2 TAIFUN SPIRAL 10
Art. No.	6468500
PU 2 material	cardboard gr
PU 2 weight	456 g
PU 2 lengh	385 mm
PU 2 width/depth	350 mm
PU 2 height	362 mm

Trade data	
Product name	JBL PROFLORA CO2 TAIFUN SPIRAL 10
Art. No.	6468500
Till receipt text	PF CO2 TAIFUN10
Shelf placement	-



30.12.2023 Date: Produced by: