




# JBL PhosEx ultra Pad CristalProfi e

Foam insert and phosphate remover for CristalProfi e

Suitable for:



- Clean and healthy water: set with foam insert and phosphate remover for CristalProfi
- To use: transfer the complete set into the empty filter basket; remove the plastic bag, place in the filter.
- Insoluble iron compound; no release of any substances into the water
- Suitable for fresh and saltwater
- Package contents: 1 set with foam insert and phosphate remover. Incl. 2 x foam insert, cut to fit, 1 high performance phosphate remover insert

You may also be interested in

You can find a complete overview here: <https://www.jbl.de/qr/60169>



**JBL Symec micro**  
 Microfibre fleece against water cloudiness



**JBL Symec Filter floss**  
 Filter wool to remove all types of cloudiness



**JBL Symec XL**  
 Coarse filter wool to remove all types of water cloudiness



**JBL Symec VL**  
 Filter wool fleece to remove water cloudiness






# JBL PhosEx ultra Pad CristalProfi e



## Product information

### Clean and healthy water

Plant and food remains and metabolic substances lead to a deterioration of the quality of the water in the aquarium. Good water quality is necessary for healthy fish and plants. This can be achieved with various filters and filter materials. The filters suck in the aquarium water and remove the pollution and waste materials with the filter material from the water.

Further information	
FAQ	✓
Blog	✓
Press	✗
Laboratory/calculator	✗
Worth reading	✓
Spare parts	✗
Video	✓
GarantiePlus	✗
Instructions	✓
QR code	





# JBL PhosEx ultra Pad CristalProfi e



## Product details

Article data		
Product name	JBL PhosEx ultra Pad CristalProfi e15/1900/1,2	JBL PhosEx ultra Pad CristalProfi e15/1900/1,2
Art. No.	6016900	6017000
EAN number	4014162601698	4014162601704
EAN as barcode		
Content	500 ml	800 ml
For CPe	4-7-901,2	15-1901,2
Expiry months	-	-
RRP incl. VAT	-	-
Base price	-	-
Nominal filling quantity	-	-
Base quantity	1	1
Gross weight	406 g	599 g
Net weight	318 g	495 g
Weight change	1000	1000

Disposal		
Product name	JBL PhosEx ultra Pad CristalProfi e15/1900/1,2	JBL PhosEx ultra Pad CristalProfi e15/1900/1,2
Art. No.	6016900	6017000
Green dot	✓	✓
Group electronic waste	-	-
Disposal weight	-	-
Battery type	-	-
Battery return	-	-
Battery rechargeable	-	-
Disposal weight battery	-	-
Non-returnable glass	-	-
PPK	86 g	102 g
Plastic small	2 g	2 g
Plastic large	-	-
Disposal weight metal	0 g	0 g

Features		
Product name	JBL PhosEx ultra Pad CristalProfi e15/1900/1,2	JBL PhosEx ultra Pad CristalProfi e15/1900/1,2
Art. No.	6016900	6017000





Features		
Animal species	Arowana, Axolotl, Barbels, Bettas, Bichirs/reedfish, Blowfish, Catfish, Cichlids (South America), Corals, Crayfish, Danions, Discus, Dwarf shrimps, Flowerhorn, Gobies, Goldfish, Gouramis, Guppy, Juvenile fish, Killifish, Livebearers, Loaches, Mussels, Newts, Panchaxes, Rainbowfish, Snails, Spiny eels, Terrapins, Tetra, Tropical terrapins, Veiltails, freshwater butterflyfish, turtle	Arowana, Axolotl, Barbels, Bettas, Bichirs/reedfish, Blowfish, Catfish, Cichlids (South America), Corals, Crayfish, Danions, Discus, Dwarf shrimps, Flowerhorn, Gobies, Goldfish, Gouramis, Guppy, Juvenile fish, Killifish, Livebearers, Loaches, Mussels, Newts, Panchaxes, Rainbowfish, Snails, Spiny eels, Terrapins, Tetra, Tropical terrapins, Veiltails, freshwater butterflyfish, turtle
Animal size	For all animal sizes	For all animal sizes
Animal age group	All aquarium fish	All aquarium fish
Volume of habitat	> 300 L	800 L
Material	Natural zeolite, aluminium oxide, ferric oxide	Natural zeolite, aluminium oxide, ferric oxide
Food type	-	-
Colour	blue	blue
Dosage	-	-
Transport conditions	-	-



# JBL PhosEx ultra Pad CristalProfi e

Electronic label / illuminant		
Product name	JBL PhosEx ultra Pad CristalProfi e15/1900/1,2	JBL PhosEx ultra Pad CristalProfi e15/1900/1,2
Art. No.	6016900	6017000
Ambient temperature	-	-
Start time	-	-
Mercury	-	-
Tube length	-	-
Service life	-	-
Lumen	-	-
CRI value	-	-
Dimmable	-	-
Switching cycles	-	-
PAR value	-	-
Energy efficiency class	-	-
UV-A	-	-
UV-B	-	-
UV-C	-	-
Colour temperature	-	-
Base designation	-	-

Technical data		
Product name	JBL PhosEx ultra Pad CristalProfi e15/1900/1,2	JBL PhosEx ultra Pad CristalProfi e15/1900/1,2
Art. No.	6016900	6017000
Range in litres	-	-
Range from - to	-	-
Range in days	-	-
Range tank length	-	-
Output in watts	-	-
Output per hour	-	-
Output per day	-	-
Height	-	-
Length	-	-
Width	-	-
Diameter	-	-
Voltage	-	-
For	-	-
T8 26mm (watt)	-	-
T5 16mm (watt)	-	-
Size	-	-
Content for	-	-
Filter container volume	-	-
Volume filter media	-	-
Hose connections pressure/out	-	-
Hose connections suction/in	-	-





Technical data		
Delivery head	-	-



# JBL PhosEx ultra Pad CristalProfi e

Food type	-
Sub product type	-
Dosing	-





## Additional information for the specialist trade sector

Article data		
Product name	JBL PhosEx ultra Pad CristalProfi e15/1900/1,2	JBL PhosEx ultra Pad CristalProfi e15/1900/1,2
Art. No.	6016900	6017000
VAT	20%	20%
Sales unit (SU)	3	3
Volume packaging	1.98l	2.4l
Dimensions (l/w/h)	70 mm/160 mm/177 mm	70 mm/175 mm/196 mm
Layer	120	96
Pallet	360	288
Category of products	2	2
Customs tariff	25309000	25309000
Country of origin	DE	DE
Type of packaging	Faltschachtel/Karton	Faltschachtel/Karton

PU 1 data		
Product name	JBL PhosEx ultra Pad CristalProfi e15/1900/1,2	JBL PhosEx ultra Pad CristalProfi e15/1900/1,2
Art. No.	6016900	6017000
PU 1 material	film gr	film gr
PU 1 weight	3.7 g	3.8 g
PU 1 length	160 mm	175 mm
PU 1 width/depth	200 mm	220 mm
PU 1 height	180 mm	200 mm

PU 2 data		
Product name	JBL PhosEx ultra Pad CristalProfi e15/1900/1,2	JBL PhosEx ultra Pad CristalProfi e15/1900/1,2
Art. No.	6016900	6017000
PU 2 material	cardboard gr	cardboard gr
PU 2 weight	650 g	720 g
PU 2 length	400 mm	400 mm
PU 2 width/depth	420 mm	420 mm
PU 2 height	340 mm	370 mm

Trade data		
Product name	JBL PhosEx ultra Pad CristalProfi e15/1900/1,2	JBL PhosEx ultra Pad CristalProfi e15/1900/1,2
Art. No.	6016900	6017000
Till receipt text	PhosEx e7/e9	PhosEx e1500
Shelf placement	-	-