Quick test to determine the acidity

Suitable for: < 🖈 🖌 🐋

CARE

PFLEGE **ENTRETIEN** 



- Simple and reliable monitoring of the water values in ponds and aquariums. Determines the ideal pH value in fresh and marine water
- Quick test: fill plastic cuvette with sample water, add reagent, read value of the sample off colour chart
- When to use: daily for one week in newly set up aquariums, afterwards weekly
- You will find detailed information and troubleshooting tips about water analysis on the JBL website in Essentials/Aquarium or Pond
- Package contents: 1 complete kit with one reagent pH 3.0-10.0, 1 cuvette and 1 colour chart; contents for approx. 50 measurements



You may also be interested in

You can find a complete overview here: https://www.jbl.de/gr/24101





JBL PROAQUATEST **COMBISET** Plus Fe Test case with most important water tests + iron test



JBL PROAQUATEST **COMBISET** Plus NH4 Test case with most important water tests + NH4 test



JBL PROAQUATEST LAB Test case with 13 water tests for freshwater analysis



JBL PROAQUATEST COMBISET POND Test case for water analyses in koi and garden ponds











JBL component set for water tests

JBL PROAQUATEST range colour charts





### Product information

Healthy aquarium/healthy pond with conditions close to nature The right water values are dependent on the fish stock and the plants in the aquarium/pond. Even if the water looks clear it can be contaminated. With bad values diseases or algae can appear in the aquarium/pond. To maintain a healthy aquarium/pond with conditions close to nature it is important to check and adapt the water values regularly.

For each water analysis JBL provides water tests in the form of quick tests or colour change tests. These determine a certain value or several values in one go. With these water tests you can recognise algae problems and negative nitrate, nitrite, potassium, magnesium values etc.

### Why test?

The well-being of aquarium and pond dwellers and the healthy growth of aquatic plants depend to a large extent on the pH level being kept as constant as possible. The pH level can also affect many substances dissolved in the water. Fluctuations in the pH level are definitely to be avoided.

### JBL Online Laboratory

Regular control for a healthy aquarium/pond with conditions close to nature. Enter your water values into the JBL Online Laboratory and get an in-depth analysis of your values within seconds.

Recommended pH values: Freshwater aquarium (community aquarium): 6.5-7.5 Lake Malawi/Lake Tanganyika aquarium: 7.8-9.2 Plant aquarium with few fish (aquascaping): 6.0-7.0 Marine aquarium: 7.9-8.5 Pond: 7.5-8.5

| Further information   |   |
|-----------------------|---|
| FAQ                   | ✓ |
| Blog                  | ✓ |
| Press                 | ~ |
| Laboratory/calculator | × |
| Worth reading         | ✓ |
| Spare parts           | ✓ |
| Video                 | ~ |
| GarantiePlus          | × |
| Instructions          | ~ |
| QR code               |   |



| Article data             |                              |  |
|--------------------------|------------------------------|--|
| Product name             | JBL PROAQUATEST pH 3.10-10.0 | JBL PROAQUATEST pH 3.10-10.0<br>REFILL |
| Art. No.                 | 2410100                      | 2410200                                |
| EAN number               | 4014162241016                | 4014162241023                          |
| EAN as barcode           |                              |  |
| For                      | 50 Tests                     | Refill                                 |
| -                        | -                            | -                                      |
| Expiry months            | 48                           | 48                                     |
| RRP incl. VAT            | 12,16€                       | 6,75 €                                 |
| Base price               | -                            | -                                      |
| Nominal filling quantity | -                            | -                                      |
| Base quantity            | 1                            | 1                                      |
| Gross weight             | 124 g                        | 28 g                                   |
| Net weight               | 87 g                         | 10 g                                   |
| Weight change            | -                            | -                                      |
|                          | •                            |  |
| Disposal                 |                              |  |
| Product name             | JBL PROAQUATEST pH 3.10-10.0 | JBL PROAQUATEST pH 3.10-10.0<br>REFILL |
| Art. No.                 | 2410100                      | 2410200                                |
| Green dot                | ✓                            | <ul> <li>✓</li> </ul>                  |
| Group electronic waste   | -                            | -                                      |
| Disposal weight          | -                            | -                                      |
| Battery type             | -                            | -                                      |
| Battery return           | -                            | -                                      |
| Battery rechargeable     | -                            | -                                      |
|                          |                              |  |

| Battery rechargeable    | -    | -     |
|-------------------------|------|-------|
| Disposal weight battery | -    | -     |
| Non-returnable glass    | -    | -     |
| РРК                     | 27 g | 7.5 g |
| Plastic small           | 10 g | 10 g  |
| Plastic large           | -    | -     |
| Disposal weight metal   | 0 g  | 0 g   |
|                         | -    | -     |
|                         |      |       |

| Features     |                              |  |
|--------------|------------------------------|--|
| Product name | JBL PROAQUATEST pH 3.10-10.0 | JBL PROAQUATEST pH 3.10-10.0<br>REFILL |
| Art. No.     | 2410100                      | 2410200                                |



| Features             |  |  |
|----------------------|--|--|
| Animal species       | Armored catfish, Arowana,<br>Axolotl, Barbels, Bettas, Bichirs/<br>reedfish, Blowfish, Catfish,<br>Cichlids (South Arnerica), Clawed<br>frogs, Clawed shrimps, Corals,<br>Crayfish, Crustaceans, Danions,<br>Discus, Dwarf crayfish, Dwarf<br>shrimps, Flowerhorn, Gill<br>maggots, Gobies, Goldfish,<br>Gouramis, Guppy, Juvenile fish,<br>Killifish, Livebaeres, Loaches,<br>Mussels, Newts, Panchaxes,<br>Rainbowfish, Snails, Spiny eels,<br>Terrapins, Veiltails, blood parrot<br>cichlids, freshwater butterflyfish,<br>turtle | Armored catfish, Arowana,<br>Axolotl, Barbels, Bettas, Bichirs/<br>reedfish, Blowfish, Catfish,<br>Cichilds (South America), Clawed<br>frogs, Clawed shrimps, Corals,<br>Crayfish, Crustaceans, Danions,<br>Discus, Dwarf crayfish, Dwarf<br>shrimps, Flowerhorn, Gill<br>maggots, Gobies, Goldfish,<br>Gouramis, Guppy, Juvenile fish,<br>Killifish, Livebearers, Loaches,<br>Mussels, Newts, Panchaxes,<br>Rainbowfish, Snails, Spiny eels,<br>Terrapins, Veiltails, blood parrot<br>cichlids, freshwater butterflyfish,<br>turtle |
| Animal size          | For all animal sizes   | For all animal sizes   |
| Animal age group     | All aquarium fish  | All aquarium fish  |
| Volume of habitat    | -  | -  |
| Material             | Reagent(s) in plastic bottle(s) and/<br>or glass bottle(s) + plastic and/or<br>glass accessories. REFILL: reagent<br>(s) without accessories.  | Reagent(s) in plastic bottle(s) and/<br>or glass bottle(s) + plastic and/or<br>glass accessories. REFILL: reagent<br>(s) without accessories.  |
| Food type            | -  | -  |
| Colour               | white / transparent / black  | white / transparent / black  |
| Dosage               | See instructions   | See instructions   |
| Transport conditions | -  | -  |





| Product name                          | JBL PROAQUATEST pH 3.10-10.0 | JBL PROAQUATEST pH 3.10-10.0<br>REFILL |
|---------------------------------------|------------------------------|--|
| Art. No.                              | 2410100                      | 2410200                                |
| Ambient temperature                   | -                            | -                                      |
| Start time                            | -                            | -                                      |
| Mercury                               | -                            | -                                      |
| Tube length                           | -                            | -                                      |
| Service life                          | -                            | -                                      |
| Lumen                                 | -                            | -                                      |
| CRI value                             | -                            | -                                      |
| Dimmable                              | -                            | -                                      |
| Switching cycles                      | -                            | -                                      |
| PAR value                             | -                            | -                                      |
| Energy efficiency class               | -                            | -                                      |
| UV-A                                  | -                            | -                                      |
| UV-B                                  | -                            | -                                      |
| UV-C                                  | -                            | -                                      |
| Colour temperature                    | -                            | -                                      |
| Base designation                      | -                            | -                                      |
| Product name                          | JBL PROAQUATEST pH 3.10-10.0 | JBL PROAQUATEST pH 3.10-10.0<br>REFILL |
| Art. No.                              | 2410100                      | 2410200                                |
| Range in litres                       | -                            | -                                      |
| Range from - to                       | -                            | -                                      |
| Range in days                         | -                            | -                                      |
| Range tank length                     | -                            | -                                      |
| Output in watts                       | -                            | -                                      |
| Output per hour                       | -                            | -                                      |
| Output per day                        | -                            | -                                      |
| Height                                | 175 mm                       | 64 mm                                  |
| Length                                | 106 mm                       | 24 mm                                  |
| Width                                 | 43 mm                        | 24 mm                                  |
| Diameter                              | -                            | 24 mm                                  |
| Voltage                               | -                            | -                                      |
| For                                   | -                            | -                                      |
| T8 26mm (watt)                        | -                            | -                                      |
|                                       |                              |  |
|                                       | -                            | -                                      |
| T5 16mm (watt)                        | -                            | -                                      |
| T5 16mm (watt)<br>Size<br>Content for |                              |  |



Volume filter media

Hose connections pressure/out Hose connections suction/in







| Technical data |   |   |
|----------------|---|---|
| Delivery head  | - | - |







| Food type        | -                |
|------------------|------------------|
| Sub product type | -                |
| Dosing           | See instructions |





Safety information

| JBL pH 3-10 - safety information in accordance with GHS |  |  |
|---|--|--|
| Signal word   | Warning  |  |
| Hazard symbol   |  |  |
| Risk phrase   | H226: Flammable liquid and vapour.<br>H319: Causes serious eye irritation.   |  |
| safety note   | P101: If medical advice is needed, have product container or label at hand.<br>P102: Keep out of reach of children.<br>P210: Keep away from heat, hot surfaces, sparks, open flames and other<br>ignition sources. No smoking.<br>P303+P361+P353: IF ON SKIN (or hair): Take off immediately all<br>contaminated clothing. Rinse skin with water [or shower].<br>P305+P351+P338: IF IN EYES: Rinse cautiously with water for several<br>minutes. Remove contact lenses, if present and easy to do. Continue rinsing.<br>P501a: Dispose of contents/container in accordance with local regulations. |  |

| Further safety information |   |
|----------------------------|---|
| Safety instructions        | ✓ |
| QR code                    |   |





## Additional information for the specialist trade sector

| Article data         |                              |  |
|----------------------|------------------------------|--|
| Product name         | JBL PROAQUATEST pH 3.10-10.0 | JBL PROAQUATEST pH 3.10-10.0<br>REFILL |
| Art. No.             | 2410100                      | 2410200                                |
| VAT                  | 19%                          | 19%                                    |
| Sales unit (SU)      | 3                            | 1                                      |
| Volume packaging     | 0.81                         | 0.571                                  |
| Dimensions (l/w/h)   | 43 mm/106 mm/175 mm          | 30 mm/110 mm/175 mm                    |
| Layer                | 240                          | 800                                    |
| Pallet               | 720                          | 2400                                   |
| Category of products | 1                            | 1                                      |
| Customs tariff       | 38221100                     | 38221100                               |
| Country of origin    | DE                           | DE                                     |
| Type of packaging    | Faltschachtel/Karton         | Skin / blister card packaging          |

| PU 1 data        |                              |  |
|------------------|------------------------------|--|
| Product name     | JBL PROAQUATEST pH 3.10-10.0 | JBL PROAQUATEST pH 3.10-10.0<br>REFILL |
| Art. No.         | 2410100                      | 2410200                                |
| PU 1 material    | film gr                      | cardboard gr                           |
| PU 1 weight      | 3.5 g                        | 660 g                                  |
| PU 1 lengh       | 106 mm                       | 580 mm                                 |
| PU 1 width/depth | 130 mm                       | 390 mm                                 |
| PU 1 height      | 180 mm                       | 310 mm                                 |

| PU 2 data        |                              |  |
|------------------|------------------------------|--|
| Product name     | JBL PROAQUATEST pH 3.10-10.0 | JBL PROAQUATEST pH 3.10-10.0<br>REFILL |
| Art. No.         | 2410100                      | 2410200                                |
| PU 2 material    | cardboard gr                 | None                                   |
| PU 2 weight      | 540 g                        | -                                      |
| PU 2 lengh       | 400 mm                       | -                                      |
| PU 2 width/depth | 400 mm                       | -                                      |
| PU 2 height      | 300 mm                       | -                                      |

| Trade data        |   |   |  |
|-------------------|---|---|--|
| Product name      | JBL PROAQUATEST pH 3.10-10.0                | JBL PROAQUATEST pH 3.10-10.0<br>REFILL      |  |
| Art. No.          | 2410100                                     | 2410200                                     |  |
| Till receipt text | ProAT pH 3-10                               | Refill pH 3-10                              |  |
| Shelf placement   | Test shelf, water treatment troubleshooting | Test shelf, water treatment troubleshooting |  |

